

STELLENBOSCH.

MUNICIPALITY • UMASIPALA • MUNISIPAI

PART A: INVITATION TO BID

TOU ARE HERE	BIINVIIEDI		*	OF THE STEE	LENE	10608	1 MUNICIPAL	III Y	
FQ NUMBER:	140/25	CLOSING DA			May 2			ING TIME:	14:00
DESCRIPTION		deliver of STS ectronic deman			BEC4	4 09 w	vith wCIU and	d Credit meter th	ree phase four
BID RESPONSE D		AY BE DEPOSITE	ED IN THE BID	BOX SITUATED	AT (S	TREET	ADDRESS) S t	ellenbosch Munici	pality, Town Hall Complex,
SUPPLIER INFORI	MATION								
NAME OF BIDDE	iR								
POSTAL ADDRE	SS								
STREET ADDRE	SS								
TELEPHONE NU	MBER	CODE					NUMBER		
CELLPHONE NU	MBER								
FACSIMILE NUM	IBER	CODE					NUMBER		
E-MAIL ADDRES	S								
VAT REC	GISTRATION								
TAX COMPLIANO	CE STATUS	TCS PIN:				OR	CSD No:		
B-BBEE STATUS VERIFICATION CERTIFICATE OF SWORN AFFIDA [TICK APPLICABLE	R ORIGINAL VIT	Yes	□No			CON ⁻ FACT (1 – 2			
LOCALITY		Yes	☐ No						
[TICK APPLICABL	E BOX]								
[A B-BBEE STA ORDER TO QU					V AFI	FIDAV	IT (FOR EM	ES & QSEs) MU	IST BE SUBMITTED IN
ARE YOU THE AC REPRESENTATIVE AFRICA FOR THE /SERVICES /WORL OFFERED?	E IN SOUTH GOODS	☐Yes [IF YES ENCLO	□No SE PROOF]			SUP	YOU A FOREIC PLIER FOR THE VICES /WORK	E GOODS	☐Yes ☐No [IF YES, ANSWER PART B:3]
CRS no		TOTAL BID PRI	ICE (Brought for	rward from MBD	3.1)				R
SIGNATURE OF B						DATE			
CAPACITY UNDER	K WHICH THIS B	ID IS SIGNED							
BIDDING PROCED	URE ENQUIRIE	S MAY BE DIRE	CTED TO:		TECH	INICAL	. INFORMATIO	N MAY BE DIRECT	ED TO:
DEPARTMENT		FINANCE - SC	M		DEPA	ARTME	NT	Infrastracture Ser	vices: Electrical Services
CONTACT PERSO	N	Bulelwa Dolomb	а		CONTACT PERSON		Bongekile Sentane		
TELEPHONE NUM	BER	021 808 8521			TELEPHONE NUMBER		021 808 8321		
E-MAIL ADDRESS Bulelwa.dolomba@stellenbosch.gov.za		E-MAIL ADDRESS <u>bongekile.sentane@stellenbosch.gov.za</u>			e@stellenbosch.gov.za				



STELLENBOSCH.

MUNICIPALITY • UMASIPALA • MUNISIPAL

PART B: TERMS AND CONDITIONS FOR BIDDING

1	RID	SII	RMI	ISSI	ON-

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED-(NOT TO BE RE-TYPED) OR ONLINE
- 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2022, THE STELLENBOSCH SUPPLY CHAIN MANAGEMENT POLICY, THE STELLENBOSCH PREFERENTIAL PROCUREMENT POLICY, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT

2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VIEW THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR THE TAX COMPLIANCE STATUS (TCS) CERTIFICATE OR PIN MAY ALSO BE MADE VIA E-FILING. IN ORDER TO USE THIS PROVISION, TAXPAYERS WILL NEED TO REGISTER WITH SARS AS E-FILERS THROUGH THE WEBSITE WWW.SARS.GOV.ZA.
- 2.4 FOREIGN SUPPLIERS MUST COMPLETE THE PRE-AWARD QUESTIONNAIRE IN PART B:3.
- 2.5 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.6 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.7 WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.

	COD NOWIDER WOOT DE FROVIDED.	
3.	QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS	
3.1.	IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)?	☐ YES ☐ NO
3.2.	DOES THE ENTITY HAVE A BRANCH IN THE RSA?	☐ YES ☐ NO
3.3.	DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA?	☐ YES ☐ NO
3.4.	DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA?	☐ YES ☐ NO
3.5.	IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION?	☐ YES ☐ NO
CON	THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO F MPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE BISTER AS PER 2.3 ABOVE.	

NB: FAILURE TO PROVIDE ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.

NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE.

THE MUNICIPALITY RESERVES THE RIGHT TO ACCEPT ALL, SOME, OR NONE OF THE BIDS SUBMITTED EITHER WHOLLY OR IN PART — AND IT IS NOT OBLIGATED TO ACCEPT THE LOWEST BID.

SIGNATURE OF BIDDER:	
CAPACITY UNDER WHICH THIS BID IS SIGNED:	
DATE:	

INDEX PAGE

PART A: REQUIREMENTS IN TERMS OF REGULATORY FRAMEWORK

- 1. Invitation to bid (MBD 1)
- 2. Quotation conditions
- 3. Authority to sign a bid
- 4. Declaration of interest (MBD 4)
- 5. Preference claim form in terms of the Preferential Procurement Regulations 2022 (MBD 6.1)
- 6. Declaration of bidder's past supply chain management practices (MBD 8)
- 7. Certificate of independent bid determination (MBD 9)
- 8. Certificate for municipal services and payments to service providers
- 9. Responsiveness criteria

PART B: TECHNICAL SPECIFICATIONS, PRICING SCHEDULE AND CHECKLIST

- 10. Technical specifications
- 11. Pricing schedule (MBD 3.1)
- 12. Checklist for completeness

YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF STELLENBOSCH MUNICIPALITY

REQUEST FOR FORMAL QUOTATION NUMBER: 140/25

REQUEST QUOTATION DESCRIPTION: Supply and deliver of STS wBEC62 09 with wCIU, wBEC44 09 with wCIU and Credit meter three phase four quadrant electronic demand and energy meters

CLOSING DATE: 14 May 2025

TIME: 14:00

Bid documents can be obtained from the Supply Chain Management Unit, 1ST floor, Plein Street, Stellenbosch 08h00 and 15:00. A non-refundable fee of R50-00 is payable to Stellenbosch Municipality. Alternatively, the bid documents can be downloaded from our website at www.stellenbosch.gov.za by following the Supply Chain Management link.

Enquiries can be directed as follows:

Type of enquiry	Contact person	Tel no	Email address
Bidding procedures and	Bulelwa Dolomba	021 808 8521	bulelwa.dolomba@stellenbosch.gov.za
documents			
Technical enquiries	Bongekile Sentane	021 808 8321	bongekile.sentane@stellenbosch.gov.za

Bids may only be submitted on the bid documentation provided by the municipality and must remain valid for 60 days after bid closing.

Bids must be submitted in a sealed envelope. The quotation number and quotation description must appear on the outside of the envelope. Bidders that fail to adhere to this requirement will be disqualified at the bid opening.

Bids must be deposited in the **bid box**, located at the entrance of the Municipal Offices of Stellenbosch Municipality, Ground floor, Plein Street, Stellenbosch, by no later than the date and time as specified above. This quotation box is open 24/7. Telephonic, telex, facsimile, e-mail and late bids will not be accepted.

Bids will be opened in public in the Supply Chain Management Conference room at the 1^{st} Floor , Room 101B, Plein Street , Stellenbosch. The lowest, only or any bid shall not necessarily be accepted and the municipality reserves the right to accept any part of the bid or to withdraw the invitation to bid.

This bid shall be evaluated on the 80/20 preference points system in terms of the Stellenbosch Preferential Procurement Policy effective from 16 January 2023 in accordance with the Preferential Procurement Regulations that was promulgated by the Minister of Finance on 04 November 2022 in Government Gazette No 47452

Prospective bidders must familiarise themselves with the content of Stellenbosch Municipality's Supply Chain Management Policy and must be registered on the <u>Central Supplier Database (CSD)</u> if they wish to conduct business with the municipality. The General Conditions of Contract is applicable.

GM METTLER
STELLENBOSCH MUNICIPALITY

AUTHORITY TO SIGN A BID

·	NER BUSINESS) AND NATURA , the u		nereby co	nfirm that	I am th	e sole owner o
ness trading as						
OR	, the undersign	ned hereby o	onfirm th	iat I am su	hmittini	this tender in
acity as natural person.		rea, neres, e				5 tills tellael ill
SIGNATURE:		DATE:				
PRINT NAME:						
WITNESS 1:		WITNES	S 2:			
espondence in connection is, before the closing time ne case of a CLOSE CORPOR	o so, as well as to sign any con with this bid and/or contract and date of the bid AATION (CC) submitting a bid, gn the documents on their be	on behalf of t a resolution b	the comp	any must l mbers, aut	be subm	itted with this
	BY BOARD OF DIRECTORS OF TH	IE COMPANY,	MEMBER	S OF THE C	<u>:c</u>	
Date Resolution was take						
Resolution signed by (na Capacity	ine and surname)					
Name and surname of de Signatory	elegated Authorised					
Capacity						
Specimen Signature						
Full name and surname (of ALL Director(s) / Member (s	5)				
Is a CERTIFIED COPY of the	ne resolution attached?		YES		NO	
SIGNED ON BEHALF		DATE:				
OF COMPANY / CC: PRINT NAME:						
WITNESS 1:		WITN	ESS			

1. Taxes and duties

- 1.1. A foreign supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the purchaser's country.
- 1.2. A local supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted goods to the purchaser.
- 1.3. No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid SARS must have certified that the tax matters of the preferred bidder are in order.
- 1.4. No contract shall be concluded with any bidder whose municipal rates and taxes and municipal services charges are in arrears.

2. Transfer of contracts

The contractor shall not abandon, transfer, cede, assign or sublet a contract or part thereof without the written permission of the purchaser.

3. Amendment of contracts

No agreement to amend or vary a contract or order or the conditions, stipulations or provisions thereof shall be valid and of any force unless such agreement to amend or vary is entered into in writing and signed by the contracting parties. Any waiver of the requirement that the agreement to amend or vary shall be in writing, shall also be in writing.

4. Prohibition of restrictive practices.

- 4.1. In terms of section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, an agreement between, or concerted practice by, firms, or a decision by an association of firms, is prohibited if it is between parties in a horizontal relationship and if a bidder(s) is / are or a contractor(s) was / were involved in collusive bidding.
- 4.2. If a bidder(s) or contractor(s) based on reasonable grounds or evidence obtained by the purchaser has / have engaged in the restrictive practice referred to above, the purchaser may refer the matter to the Competition Commission for investigation and possible imposition of administrative penalties as contemplated in section 59 of the Competition Act No 89 of 1998.
- 4.3. If a bidder(s) or contractor(s) has / have been found guilty by the Competition Commission of the restrictive practice referred to above, the purchaser may, in addition and without prejudice to any other remedy provided for, invalidate the bid(s) for such item(s) offered, and / or terminate the contract in whole or part, and / or restrict the bidder(s) or contractor(s) from conducting business with the public sector for a period not exceeding ten (10) years and / or claim damages from the bidder(s) or contractor(s) concerned.

General Conditions of Contract (revised July 2010)

GENERAL CONDITIONS

- 1. Sealed FQ's, with the **"FQ Number and Title"** clearly endorsed on the envelope, must be deposited in the **tender box** at the offices of the Stellenbosch Municipality, Plein Street, Stellenbosch.
- 2. The tender must be lodged by the Tenderer in the tender box in the Main Hall Entrance, Stellenbosch Municipal Offices, Plein Street, Stellenbosch

PLEASE NOTE:

- 2.1. FQ's that are deposited in the incorrect box will not be considered.
- 2.2. Mailed, telegraphic or faxed FQ's will not be accepted.
- 2.3. Documents may only be completed in non-erasable ink.
- 2.4. The use of correction fluid/tape is not allowed.
 - 2.4.1. In the event of a mistake having been made, it shall be crossed out in ink and be accompanied by an initial at each and every alteration.
 - 2.4.2. Alterations or deletions not signed by the Tenderer may render the tender invalid.
- 2.5. All bids must be submitted in writing on the official forms supplied (not to be re-typed)
- 2.6. All prices shall be quoted in South African currency and be INCLUSIVE of VAT.
- 3.1 It is a requirement of this contract that the amount of value-added tax (VAT) must be shown clearly on each invoice.
 - 3.2 The amended Value-Added Tax Act requires that a Tax Invoice for supplies in excess of R3 000 should, in addition to the other required information, also disclose the VAT registration number of the recipient, with effect from 1 March 2005. The VAT registration number of the Stellenbosch Municipality is **4700102181.**
- 3 Any FQ received after the appointed time for the closing of FQ's shall not be considered but shall be filed unopened with the other FQ's received or may be returned to the Tenderer at his request.
- 4 FQ's may not be telefaxed to the Municipality and therefore any FQ's received by fax will **not** be considered.
- 5 FQ's shall be opened in public at the Stellenbosch Municipal Offices as soon as possible after the closing time for the receipt of tenders.
- The Municipality shall have the right to summarily disqualify any Tenderer who, either at the date of submission of this tender or at the date of its award, is indebted to the Municipality in respect of any rental, levies, rates and/or service charges; ALTERNATIVELY;
- 6.1 That an agreement be signed whereby the Tenderer agrees that a percentage or fixed amount at the discretion of the Municipality, be deducted from payments due to him for this tender, until the debt is paid in full.
- 6.2 The tenderer shall declare **all** the Municipal account numbers in the Stellenbosch Area for which the enterprise or the proprietors or directors in their personal capacity is/ are responsible or co-responsible.
- 7 This bid will be evaluated and adjudicated according to the following criteria:
 - 7.1 Relevant specifications
 - 7.2 Value for money
 - 7.3 Capability to execute the contract
 - 7.4 PPPFA & associated regulations
 - 7.5 Stellenbosch Municipality Preferential Procurement Policy and SCM Policy

MBD 4

DECLARATION OF INTEREST

- 1. No bid will be accepted from persons in the service of the state¹.
- 2. Any person, having a kinship with persons in the service of the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid. In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons connected with or related to persons in service of the state, it is required that the bidder or their authorised representative declare their position in relation to the evaluating/adjudicating authority.

3	In order to give effect to the above, the following questionnaire must be completed and submitted
	with the bid.

3.1 Full Name of bidder or his or her representative:	
3.2 Identity Number:	
3.3 Position occupied in the Company (director, trustee, shareholder²):	
3.4 Company Registration Number:	
3.5 Tax Reference Number:	
3.6 VAT Registration Number:	
3.7 The names of all directors / trustees / shareholders members, their indiv numbers and state employee numbers must be indicated in paragraph 4	•
3.8 Are you presently in the service of the state?	YES \square / NO \square
3.8.1 If yes, furnish particulars	
3.9 Have you been in the service of the state for the past twelve months?	YES \square / NO \square
3.9.1 If yes, furnish particulars	

¹MSCM Regulations: "in the service of the state" means to be –

- (a) a member of
 - (i) any municipal council;
 - (ii) any provincial legislature; or
 - (iii) the national Assembly or the national Council of provinces;
- (b) a member of the board of directors of any municipal entity;
- (c) an official of any municipality or municipal entity;
- (d) an employee of any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No.1 of 1999);
- (e) an executive member of the accounting authority of any national or provincial public entity; or
- (f) an employee of Parliament or a provincial legislature.
- ² Shareholder" means a person who owns shares in the company and is actively involved in the management of the company or business and exercises control over the company.

3.10	Do you have any relationship (family, friend, other) with persons in the service of the state and who may be involved with the evaluation and or adjudication of this bid? YES \Box / NO \Box			
3.	10.1 If yes, furnish particulars:			
3.1	1 Are you, aware of any relationsh persons in the service of the state of this bid?			
3.11	L.1 If yes, furnish particulars:			
3.12	Are any of the company's directors stakeholders in service of the state	• • • • • • • • • • • • • • • • • • • •	shareholders or YES / NO	
3.12.	1 If yes, furnish particulars:			
3.13	Are any spouse, child or parent of t shareholders or stakeholders in ser	• •	s, managers, principle YES / NO	
3.13.	1 If yes, furnish particulars:			
3.14	 4 Do you or any of the directors, tr this company have any interest ir are bidding for this contract? 1.1 If yes, furnish particulars: 5 Ull details of directors / trustees / n 	n any other related companies or	business whether or not they YES \Box / NO \Box	
г	Full Name	Identity Number	State Employee Number	
			Number	
	Signature	Date		
	Capacity	 Name of Bio	dder	

4.

MBD6.1 – PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022 – PURCHASES/SERVICES 80/20

NB:

Before completing this form, bidders must study the general conditions, definitions and directives applicable in respect of B-BBEE, as prescribed in the Preferential Procurement Regulations, 2022 and the Stellenbosch Preferential Procurement Policy 2022/23

This preference form must form part of all bids invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution and any other applicable preference

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to all bids:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
 - a) The value of this bid is estimated to not exceed R300 000 (all applicable taxes included) and therefore the 80/20 preference point system shall be applicable
- 1.3 Points for this bid shall be awarded for:
 - (b) Price;

1.2

- (c) B-BBEE Status Level of Contributor. and
- (d) Locality of supplier
- 1.4 The maximum points for this bid are allocated as follows:

	POINTS
PRICE	80
B-BBEE STATUS LEVEL OF CONTRIBUTOR	10
LOCALITY (See definitions)	10
	100
Total points for Price and Preferences must not exceed	

- 1.5 Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor together with the bid, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.
- 1.6 Failure on the part of a bidder to submit proof of Locality together with the bid, will be interpreted to mean that preference points for Locality are not claimed.
- 1.7 The purchaser reserves the right to require of a bidder, either before a bid is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

2. **DEFINITIONS**

- (a) "B-BBEE" means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (b) "B-BBEE status level of contributor" means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- (c) "bid" means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised competitive bidding processes or proposals;
- (d) "Broad-Based Black Economic Empowerment Act" means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (e) "EME" means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (f) "functionality" means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
- (g) "Locality" means the local suppliers and/or service providers that business offices are within the Municipal area of Stellenbosch (WC024).
- (h) "price" includes all applicable taxes less all unconditional discounts;
- (i) "proof of B-BBEE status level of contributor" means:
 - 1) B-BBEE Status level certificate issued by an authorized body or person;
 - 2) A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
 - 3) Any other requirement prescribed in terms of the B-BBEE Act;
- "QSE" means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (k) "Specific goals" means specific goals as contemplated in section 2(1)(d) of the Act which may include contracting with persons, or categories of persons, historically disadvantaged by unfair discrimination on the basis of race, gender and disability including the implementation of programmes of the Reconstruction and Development Programme as published in Government Gazette No. 16085 dated 23 November 1994;
- (I) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

4. POINTS AWARDED FOR PRICE

4.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis: **80/20**

$$Ps = 80\left(1 - \frac{Pt - Pmin}{Pmin}\right)$$

Where

Ps = Points scored for price of bid under consideration

Pt = Price of bid under consideration

Pmin = Price of lowest acceptable bid

4.2 <u>FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME-GENERATING PROCUREMENT</u>

4.3 POINTS AWARDED FOR PRICE

A maximum of 80 points is allocated for price on the following basis: **80/20**

$$Ps = 80\left(1 + \frac{Pt - P max}{P max}\right)$$

Where

Ps = Points scored for price of bid under consideration

Pt = Price of bid under consideration

Pmax = Price of highest acceptable bid

5. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR

- 5.1 In terms of Regulation 4 (2) and 5 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining a specific goal specified for the tender
- 5.2 The tendering conditions will stipulate the specific goals, as contemplated in section 2(1)(d)(ii) of the Preferential Procurement Act, be attained.
- 5.3 A maximum of 20 points (80/20 preference points system), must be allocated for specific goals. These goals are :
 - (a) contracting with persons, or categories of persons, historically disadvantaged by unfair discrimination on the basis of race, gender or disability;
 - (b) Promotion of enterprises located in the municipal area (WCO24)



5.4 Regarding par 5.3 (a) at least 50% of the 20 points must be allocated to promote this goal and points will be allocated in terms of the BBBEE scorecard as follows.

B-BBEE Status Level of Contributor	Number of Points for 80/20 Preference Points System
1	10
2	9
3	6
4	5
5	4
6	3
7	2
8	1
Non-compliant contributor	0

- 5.5 A tenderer must submit proof of its BBBEE status level contributor.
- 5.6 A tenderer failing to submit proof of BBBEE status level of contributor
 - 5.6.1 may only score in terms of the 80-point formula for price; and
 - 5.6.2 scores 0 points out of 10/5 BBBEE status level of contributor, which is in line with section 2 (1) (d) (i) of the Act, where the supplier or service provider did not provide proof thereof.
- 5.7 Regarding par 5.3 (b) a maximum of 50% of the 20 points must be allocated to promote this goal. Maximum points will be allocated as follows.

Locality of supplier	Number of Points for 80/20 Preference Points System
Within the boundaries of the municipality	10
Outside of the boundaries of the municipality	0

The maximum will be proportionately adjusted depending on the number of points allocated for this goal. E.G., 40% will equate to 8 points.

6. BID DECLARATION

6.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution and/or Locality must complete the following:

B-BBEE STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS OF PARAGRAPHS 1.4

7.

	AND 4.1			
7.1	B-BBEE Status Level of Contributor: . =(max	imum of 10	points)	
	(Points claimed in respect of paragraph 7.1 must be substant BBEE status level of contributor.)	iated by rele	evant proof o	of B-
7.2	Within the boundaries of Stellenbosch Municipality (WC024)?			
	YES NO			
	Locality of supplier: =(1	0 points)		
	Address			
	(Points claimed in respect of paragraph 7.2 must be substantial business premises is situated in the Municipal area of Stell municipal account or proof of valid lease agreement must be at	lenbosch (V		
8.	SUB-CONTRACTING			
8.1	Will any portion of the contract be sub-contracted?			
	(Tick applicable box)			
	YES NO			
8.1.1	If yes, indicate:			
	i) What percentage of the contract will be subcontracted ii) The name of the sub-contractor iii) The B-BBEE status level of the sub-contractor iv) Whether the sub-contractor is an EME or QSE			
	(Tick applicable box)			
	YES NO Specify, by ticking the appropriate box, if subcontracting wi	th an enterp	rise	
Des	ignated Group: An EME or QSE which is at last 51% owned	EME	QSE	
	by:	V	V	
	people			
	people who are youth			
	people who are women			
	people with disabilities			
	people living in rural or underdeveloped areas or townships			
Loop	erative owned by black people		1	

OR

Black people who are military veterans

Any EME Any QSE **DECLARATION WITH REGARD TO COMPANY/FIRM**

9.

9.1	Name of company/firm:		
9.2	VAT registration number:		
9.3	Company registration number:		
9.4	TYPE OF COMPANY/ FIRM		
	 □ Partnership/Joint Venture / Consortium □ One person business/sole propriety □ Close corporation □ Company □ (Pty) Limited [TICK APPLICABLE BOX] 		
9.5	DESCRIBE PRINCIPAL BUSINESS ACTIVITIES		
9.6	COMPANY CLASSIFICATION		
	 Manufacturer Supplier Professional service provider Other service providers, e.g. transporter, etc. [TICK APPLICABLE BOX] 		
9.7	MUNICIPAL INFORMATION		
	Municipality where business is situated:		
	Registered Account Number:		
	Stand Number:		
9.8	Total number of years the company/firm has been in business:		
9.9	I/we, the undersigned, who is / are duly authorised to do so on behalf of the company/firm certify that the points claimed, based on the B-BBEE status level of contributor indicated in paragraphs 1.4 and 6.1 of the foregoing certificate, qualifies the company/ firm for the preference(s) shown and I / we acknowledge that:		
	i) The information furnished is true and correct;		
	 ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form; 		

the satisfaction of the purchaser that the claims are correct;

iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 6.1, the contractor may be required to furnish documentary proof to



STELLENBOSCH.

Municipality • Umasipala • Munisipai

- iv) If the B-BBEE status level of contributor/Locality points has been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the purchaser may, in addition to any other remedy it may have
 - (a) disqualify the person from the bidding process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation:
 - (d) recommend that the bidder or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted by the National Treasury from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution.

SIGNATURE OF BIDDER(S):		
WITNESS 1:	WITNESS 2:	
DATE:		
ADDRESS:		

PLEASE COMPLETE IN FULL TO CLAIM POINTS

I, the undersigned,

SWORN AFFIDAVIT – B-BBEE EXEMPTED MICRO ENTERPRISE – GENERAL (DRAFT EXAMPLE)

(DO NOT USE. USE NEW/APPLICABLE TEMPLATE)

Full name & Surname	
Identity number	
Hereby declare under oath as	follows:
1. The contents of this s	statement are to the best of my knowledge a true reflection of the facts.
I am a Member / Dire	ector / Owner (Select one) of the following enterprise and am duly
authorised to act on	its behalf:
Enterprise Name:	
Trading Name (If	
Applicable): Registration Number:	
Vat Number (If applicable)	
Enterprise Physical Address:	
Type of Entity (CC, (Pty) Ltd, Sole Prop etc.):	
Nature of Business:	
Definition of "Black People"	As per the Broad-Based Black Economic Empowerment Act 53 of 2003 as Amende
Dominion of Diagram copie	by Act No 46 of 2013 "Black People" is a generic term which means Africans, Coloureds and Indians –
	(a) who are citizens of the Republic of South Africa by birth or descent; or
	(b) who became citizens of the Republic of South Africa by naturalisation-
	i. before 27 April 1994; or
	ii. on or after 27 April 1994 and who would have been
	entitled to acquire citizenship by naturalization prior to that date;"
Definition of "Black Designated	"Black Designated Groups means:
Groups"	(a) unampleyed block poople not attending and not required by law to attend an
	 (a) unemployed black people not attending and not required by law to attend an educational institution and not awaiting admission to an educational
	institution;
	(b) Black people who are youth as defined in the National YouthCommission Act of 1996;
	(c) Black people who are persons with disabilities as defined inthe Code of
	Good Practice on employment of people with disabilities issued under the
	Employment Equity Act;
	(d) Black people living in rural and under developed areas;
	(e) Black military veterans who qualifies to be called a militaryveteran in

terms of the Military Veterans Act 18 of 2011;"



STELLENBOSCH.

MUNICIPALITY • UMASIPALA • MUNISIPAI

3. •	Amended Code Series 100 of the Amended Codes of Good Practice issued under section 9					
•	(1) of B-BBEE Act No 53 of 2003 as Amended by Act No 46 of 2013, The Enterprise is					
•	The Enterprise is Series 100 of the Amende No 53 of 2003 as Amend	% Black Designated Group Owned as per Amended Code and Codes of Good Practice issued under section 9 (1) of B-BBEE Act led by Act No 46 of 2013, Owned % Breakdown as per the definition stated above:				
	 Black Youth % = 	:%				
	Black Disabled 9	% =%				
	 Black Unemploy 	ed % =%				
	Black People living	ng in Rural areas % =%				
	 Black Military Ve 	eterans % =%				
•	available on the latest fine Revenue was R10,000,00 Please Confirm on the bebox.	ancial Statements/Financial Statements and other information ancial year-end of (DD/MM/YYYY), the annua 0.00 (Ten Million Rands) or less slow table the B-BBEE Level Contributor, by ticking the applicable				
	100% Black Owned	Level One (135% B-BBEE procurement recognitionlevel)				
	At least 51% Black Owned	Level Two (125% B-BBEE procurement recognition level)				
	Less than 51% Black Owned	Level Four (100% B-BBEE procurement recognition level)				
4.		he contents of this affidavit and I have no objection to take the ider the oath binding on my conscience and on the Owners of the ent in this matter.				
5.	The sworn affidavit will be valid for a period of 12 months from the date signed by commissioner.					
	Deponent Signature:					
		Date :				
	NB! ORIGINA	LLY CERTIFIED/ NOT COPY				
_	ommissioner of Oatha					
	ommissioner of Oaths					
	gnature & stamp .					
17	ata ata					

MBD 8

DECLARATION OF BIDDER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES

- 1. This Municipal Bidding Document must form part of all bids invited.
- 2. It serves as a declaration to be used by municipalities and municipal entities in ensuring that when goods and services are being procured, all reasonable steps are taken to combat the abuse of the supply chain management system.
- 3. The bid of any bidder may be rejected if that bidder, or any of its directors have:
 - a) abused the municipality's/municipal entity's supply chain management system or committed any improper conduct in relation to such system;
 - b) been convicted for fraud or corruption during the past five years;
 - c) willfully neglected, reneged on or failed to comply with any government, municipal or other public sector contract during the past five years; or
 - d) been listed in the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004).
- 4. In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.

ITEM	QUESTION	Yes	No
4.1	Is the bidder or any of its directors listed on the National Treasury's database as a company or person prohibited from doing business with the public sector? (Companies or persons who are listed on this database were informed in writing of this restriction by the National Treasury after the audi alteram partem rule was applied).	Yes	No
4.1.1	If so, furnish particulars:	T	
4.2	Is the bidder or any of its directors listed on the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004)? (To access this Register enter the National Treasury's website, www.treasury.gov.za , click on the icon "Register for Tender Defaulters" or submit your written request for a hard copy of the Register to facsimile number (012) 3265445).	Yes	No
4.2.1	If so, furnish particulars:		
4.3	Was the bidder or any of its directors convicted by a court of law (including a court of law outside the Republic of South Africa) for fraud or corruption during the past five years?	Yes	No
4.3.1	If so, furnish particulars:		1

4.4	Does the bidder or any of its directors owe any municipal rates and taxes or municipal charges to the municipality/municipal entity, or to any other municipality/municipal entity, that is in arrears for more than three months	Yes	No
4.4.1	If so, furnish particulars:		
4.5	Was any contract between the bidder and the municipality/ municipal entity or any other organ of state terminated during the past five years on account of failure to perform on or comply with the contract?	Yes	No
4.5.1	If so, furnish particulars:		

CERTIFICATION

, THE UNDERSIGNED	
(FULL NAME)	
	ON THIS DECLARATION FORM IS TRUE AND CORRECT. I OF A CONTRACT, ACTION MAY BE TAKEN AGAINST ME BY PROVE TO BE FALSE.
SIGNATURE	DATE
POSITION	NAME OF BIDDER

DECLARATION: CERTIFICATE FOR MUNICIPAL SERVICES AND PAYMENTS TO SERVICE PROVIDERS

PART A. PROPERTY OWNED BY EINTERPRISE OR DIRECTORS	
Please complete the following if property is owned by the enpersonal capacity, obtain the confirmation of the relevant method which are not older than 90 days. (Refer MBD 4 paragraph 4	nunicipality and attach a copy of their municipal account(s
Name of account holder:	
Account number:	
Name of account holder:	
Account number:	
Name of account holder:	
Account number:	
PART B: PROPERTY LEASED BY ENTERPRISE OR DIRECTORS	
Please attach a sworn affidavit or a copy of your lease agree proprietors or directors in their personal capacity, for which municipal rates and taxes.	
PART C: WHERE PROPERTY IS NOT OWNED OR LEASED BY EN	NTERPRISE OR DIRECTORS
Please attach a sworn affidavit from the proprietor or direct not own or lease any property and that the aforementioned taxes.	
I,furnished on this declaration form is correct and that I/w services towards a municipality or other service provider than 90 days.	ve have no undisputed commitments for municipal rin respect of which payment is overdue for more
Signature for and on behalf of the bidder	Date

MBD 9

CERTIFICATE OF INDEPENDENT BID DETERMINATION

- 1. This Municipal Bidding Document (MBD) must form part of all bids¹ invited.
- 2. Section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, prohibits an agreement between, or concerted practice by, firms, or a decision by an association of firms, if it is between parties in a horizontal relationship and if it involves collusive bidding (or bid rigging).² Collusive bidding is a *pe se* prohibition meaning that it cannot be justified under any grounds.
- 3. Municipal Supply Regulation 38 (1) prescribes that a supply chain management policy must provide measures for the combating of abuse of the supply chain management system, and must enable the accounting officer, among others, to:
 - a. take all reasonable steps to prevent such abuse;
 - b. reject the bid of any bidder if that bidder or any of its directors has abused the supply chain management system of the municipality or municipal entity or has committed any improper conduct in relation to such system; and
 - c. cancel a contract awarded to a person if the person committed any corrupt or fraudulent act during the bidding process or the execution of the contract.
- 4. This MBD serves as a certificate of declaration that would be used by institutions to ensure that, when bids are considered, reasonable steps are taken to prevent any form of bid-rigging.
- 5. In order to give effect to the above, the attached Certificate of Bid Determination (MBD 9) must be completed and submitted with the bid:-

¹ Includes price quotations, advertised competitive bids, limited bids and proposals.

² Bid rigging (or collusive bidding) occurs when businesses, that would otherwise be expected to compete, secretly conspire to raise prices or lower the quality of goods and / or services for purchasers who wish to acquire goods and / or services through a bidding process. Bid rigging is, therefore, an agreement between competitors not to compete.

I, the undersigned, in submitting the accompanying bid:

CERTIFICATE OF INDEPENDENT BID DETERMINATION

(Bid N	umber a	and Description)	
in res	oonse to	the invitation for the bid made by Stellenbosch Municipality	
do he	reby mal	ke the following statements that I certify to be true and complete in every respect:	
I certi	fy, on be	ehalf	
of:		that:	
6.	I have	(Name of Bidder) read and I understand the contents of this Certificate;	
7.		rstand that the accompanying bid will be disqualified if this Certificate is found not to be mplete in every respect;	true
8.		uthorized by the bidder to sign this Certificate, and to submit the accompanying bid, on of the bidder;	
9.		person whose signature appears on the accompanying bid has been authorized by the to determine the terms of, and to sign, the bid, on behalf of the bidder;	
10.	"comp	e purposes of this Certificate and the accompanying bid, I understand that the word petitor" shall include any individual or organization, other than the bidder, whether or not sed with the bidder, who:-	
	(a)	has been requested to submit a bid in response to this bid invitation;	

- (b) could potentially submit a bid in response to this bid invitation, based on their qualifications, abilities or experience; and
- (c) provides the same goods and services as the bidder and/or is in the same line of business
- 11. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However communication between partners in a joint venture or consortium³ will not be construed as collusive bidding.
- 12. In particular, without limiting the generality of paragraphs 6 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:-
 - (a) prices;

as the bidder.

- (b) geographical area where product or service will be rendered (market allocation)
- (c) methods, factors or formulas used to calculate prices;
- (d) the intention or decision to submit or not to submit, a bid;
- (e) the submission of a bid which does not meet the specifications and conditions of the bid; or
- (f) bidding with the intention not to win the bid.

³ Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

- 13. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 14. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 15. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No. 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No. 12 of 2004 or any other applicable legislation.

SIGNATURE	DATE
POSITION	NAME OF BIDDER

RESPONSIVENESS AND EVALUATION CRITERIA

1. RESPONSIVENESS CRITERIA

No bid will be considered by Stellenbosch Municipality unless it meets the following responsiveness criteria (for the bid to be considered responsive, the bid must meet the following requirements):

- a) Bidders must ensure that they are registered on the Central Supplier Database (CSD), if they wish to conduct business with the Municipality.
- b) <u>Enquiries regarding the above can be directed to:</u>

Contact persons	Tel no	Email address
Nicolene Hamilton	021 8088594	Nicolene.hamilton@stellenbosch.gov.za

- 2. Stellenbosch Municipality will reject a bid in terms of the following:
 - a) If any municipal rates and taxes or municipal service charges owed by the bidder or any of its directors to this of any other municipality or municipal entity, are in arrears for more than three months (90 days).
 - b) The name of the company of any of its director(s) names appear on the list of Tender Defaulters or restricted suppliers as published by National Treasury.
- 3. The following completed documents must be submitted or provided as part of the bid submission:
 - a) Copy of the B-BBEE Certificate issued by a Verification Agency accredited by SANAS or the original Sworn Affidavit must be attached
 - (NB! BBBEE CERTIFICATES CAN BE VERIFIED WITH THE VERIFICATION AGENCY BUT A SWORN AFFIDAVIT MUST BE AN ORIGINAL AND NOT A COPY TO BE ELIGIBLE FOR BBBEE POINTS)
 - A trust, consortium or joint venture must submit a consolidated B-BBEE Status Level Verification certificate for every separate bid.
 - b) Completed and signed declaration of interest form (MBD 4).
 - 4. No bids will be accepted unless the bid documentation as issued by the municipality is utilised.
- 5. The awarding of this bid is subject to the following:
 - a) Relevant technical specifications as stated in this bid document;
 - b) Attendance of compulsory site meetings, as may be applicable;
 - c) Proper completion of this bid document and signing of declarations
 - d) Documents as indicated in MBD 1.
 - e) Any special conditions of contract as stipulated in this bid document.
- 6. Persons aggrieved by decisions or actions taken in the implementation of this supply chain management system, may lodge within 14 days of the decision or action, a written objection or complaint against the decision or action.
- 7. Inducements, rewards, gifts and favours to municipalities, officials and other role players
 - a) No person who is a provider or prospective provider of goods or services, or a recipient or prospective recipient of goods disposed or to be disposed of may either directly or through a representation intermediary promise, offer or grant any inducement or reward to the Stellenbosch Municipality for or in connection with the award of a contract;

- b) The accounting officer must promptly report any alleged contravention of subparagraph (1) to the National Treasury for considering whether the offending person, and any representative or intermediary through which such person is alleged to have acted, should be listed in the National Treasury's database of persons prohibited from doing business with the public sector.
- 8. Telephonic, facsimile, electronic/ emailed and late bids will not be accepted.
- 9. Bids shall be declare invalid, and shall be endorsed and recorded as such in the bid opening record by the responsible official to open the bid, in the following instances:
 - a) If the bid is not sealed;
 - b) if the bid including the bid price amount, where applicable is not submitted on the official pricing schedule;
 - c) if the bid is not completed in non-erasable ink; or
 - d) NO correction fluid/tape may be used
 - e) if the name of the bidder is not stated, or is indecipherable
- 10. A bid will not be invalidated if the amount in words and the amount in figures do not correspond, in which case the amount in words shall be read out at the bid opening and shall be deemed to be the bid amount.
- 11. The official bid document must be fully completed in indelible ink.
- 12. All requested relevant and/ or additional documentation such as compliance certificates, professional registration, artisan qualification, etc., must be attached behind the bid document.
- 13. If the entity submitting a bid is a joint venture or consortium or partnership, each party to that formation must submit all the above information.
- 14. The bidder must adhere to the pricing instructions.
- 15. The Bidder's details must be provided.
- 16. The necessary document authorising the representative to sign and submit the bid on the bidder's behalf must be completed and signed.
- 17. The bid must comply with all the minimum technical specifications.
- 18. Alternative offers may be submitted by the bidder. The municipality is under no obligation to accept alternative offers.

19. EVALUATION OF BIDS

- a) All bids received shall be evaluated in terms of the Municipal Supply Chain Management Regulations, the Preferential Procurement Policy Framework Act no 5 of 2000, the Stellenbosch Preferential Procurement Policy of 2022/2023 in accordance with Preferential Procurement Regulations of 2022.
- b) The municipality reserves the right to accept all, some, or none of the bids submitted either wholly or in part and it is not obligated to accept the lowest bid.

PART C: TECHNICAL SPECIFICATIONS AND PRICING SCHEDULE

The following minimum specifications are applicable and must be complied with.

NB: Service providers are required to read and study the specification, its general condition of contract, as well as the instructions to them very carefully before submitting their offers.

All bids received shall be evaluated in terms of the Municipal Supply Chain Management Regulations, the Preferential Procurement Policy Framework Act no 5 of 2000, the Stellenbosch Preferential Procurement Policy of 2022/2023 in accordance with Preferential Procurement Regulations of 2022

Supply and deliver STS wBEC62(09) with wCIU, wBEC44(09) with wCIU and three phase four quadrant electronic demand and energy meters

Background/Introduction:

Electricity meters are critical instruments in modern energy management systems, serving as the cornerstone for the measurement and monitoring of energy consumption. They are used in residential, commercial, and industrial applications to monitor electrical power usage, ensure billing accuracy, and assist with energy efficiency measures.

In today's world, energy management goes beyond just monitoring consumption. With the growing trend of renewable energy sources, such as solar power and wind energy, alongside more complex power networks, it has become essential to employ more sophisticated meters that can track both energy consumption and production.

The **3-phase**, **1-phase**, and **4-quadrant bi-directional meters** are advanced devices that can provide valuable insights into energy usage, making them essential for industries and institutions that seek to optimize energy consumption, reduce costs, and support sustainable energy generation.

Need for the Meters:

1. Energy Management and Cost Control:

 For businesses and institutions, accurate measurement of energy consumption is essential for cost management. 3-phase and 1-phase meters help monitor electricity usage, ensuring that customers are charged based on accurate readings, and they can identify areas of high energy consumption to target for improvements.

2. Integration with Renewable Energy:

The growing adoption of renewable energy systems such as solar and wind power, which often generate power that is fed back into the grid, necessitates the use of 4-quadrant bidirectional meters. These meters can track energy flow in both directions (from the grid to the system and from the system to the grid), allowing users to measure both imported and exported power.

3. Regulatory Compliance:

- As regulations around energy consumption and carbon emissions tighten, businesses need to meet stringent measurement and reporting standards. Advanced meters are essential for ensuring compliance with both national and international energy regulations.
- 4. Monitoring System for Efficiency:



 These meters provide real-time data that can be integrated into energy management systems, allowing for dynamic monitoring and analysis of power quality, system performance, and opportunities for energy savings.

5. **Power Quality Monitoring:**

 4-quadrant meters are especially useful for measuring power quality issues such as harmonic distortion, voltage spikes, and power factor, which are increasingly important in managing the impact of distributed energy resources and maintaining grid stability.

Objective of the Purchase:

1. Ensure Accurate Measurement:

 To purchase and install reliable 3-phase, 1-phase, and 4-quadrant bi-directional meters to ensure accurate energy measurement, both for consumption and generation. This is key for billing purposes and understanding energy usage patterns.

2. Support Renewable Energy Initiatives:

 To enhance the monitoring and measurement capabilities of renewable energy generation, specifically for systems that generate and export electricity back to the grid. This will help users accurately track both the consumption and export of electricity in real-time.

3. Improve Energy Management:

 To improve overall energy management by providing data that supports efficient energy use, helps identify areas for improvement, and contributes to a more sustainable energy approach.

4. Cost Reduction and Optimization:

o To enable businesses and organizations to reduce energy costs by offering insights into power consumption, load management, and potential efficiency improvements.

5. Comply with Standards and Regulations:

 To ensure that the installed meters meet local and international standards for energy measurement, regulatory compliance, and reporting, in line with energy auditing or sustainability certifications.

Conclusion:

The acquisition and installation of **3-phase**, **1-phase**, **and 4-quadrant bi-directional meters** is an essential step toward achieving a more efficient, reliable, and sustainable energy management system. These advanced meters not only ensure accurate measurement and compliance with energy regulations but also facilitate better control over energy usage, which in turn leads to reduced costs and improved operational efficiency.

The integration of these meters into the existing infrastructure will also enhance the capability to monitor both consumption and generation of electricity, especially in environments incorporating renewable energy sources. Through precise, real-time data collection, businesses and institutions can make informed decisions, improve energy efficiency, and contribute to a greener, more sustainable future.

This investment in advanced metering solutions is crucial to achieving long-term goals of energy optimization, regulatory compliance, and cost reduction, while also supporting broader environmental and sustainability objectives



1. Specifications for Supply and deliver of METERS wBEC62(09) WITH wCIU

1.1. Specifications of tenders' technical requirements:

A1.1	THREE PHASE WALL MOI (WIRED\RADIO FREQUENCY	INTED SPLIT METER ONLY DUAL FUNCTION	Yes	No
a.	VOLTAGE: Normal Voltage (-20% + 15%)	220VAC		
h	Supply Frequency Current:	50Hz		-
b.	Base Current	10A		
	Max Current	100A		
	Min starting current	40mA		
	Utilization	UC2		
C.	Nominal Power	1.6W/9VA		
	Consumption	01 4		
d. e.	Accuracy Overvoltage rating	Class 1 420 VAC for 48 hours		-
	<u> </u>			
f.	Short-Circuit Rating	3.0kA		
g.	Protection	Power overload		
		Current Overload		
		Over / under voltage Thermal Overload		
		Phase imbalance		
		Galvanic isolation		
h.	Environmental			
	Operating Temp	-10°C to + 55°C		
	Storage Temp	-25°C to +70°C		
	Humidity	95% non-Condensing		
	IP Rating	IP 54		
	RF Immunity	30V/m		
i.	Status Indicator	Load / power status		
		MCU / wUIU / wCIU communication Rate LED (1000 pulses / kWh		
j.	Installation:	Nate LLD (1000 puises / KWII		+
,.	Footprint	BS7856		
	Insolation class	Double insulation		
k.	Terminals	Live Neutral Communication		
		Cage Cage clamp Spring Clamp 0.7mm		
		clamp 25mm		
		25mm		
l.	Security: Meter Housing	Convity Cools		
	Terminal cover	Security Seals Serialised plastic security seals		
	Tamper protection	Tamper terminal cover		
	ramper pretection	Load disconnection on tamper detection		
		No power tamper		
m.	Standards	OHSAS 18001:2007		
		IEC 62052-11		
		IEC 62053-21		
		IEC 62055-41		
		IEC 62056 -21		
		IEC 60068-2-27		
		IEC 60068-2-6 SANS 1524-1		
		ISO 14001:2004		
		ISO 9001:2008		
A1.2	WIRELESS USER INTERFAC	WIRELESS USER INTERFACE UNIT (wCIU)		
a.	Electrical Ratings			
	Battery Size (Alkaline)	AA		+
b.	No required	2		
	Battery Voltage	1.5V		
	Operating Voltage Range	1.8 to 3V		



STELLENBOSCH STELLENBOSCH PNIEL FRANSCHHOEK

MUNICIPALITY • UMASIPALA • MUNISIPAI

	Min Life span	3 years	
C.	Customer displayed Informati	on	
d.		Status of Consumer AC Supply Available credit Low Credit Warning Token accept/Reject Previously entered STS Token Meter Status register	
e.	Displays		
f.	Number of digits Character height Type Viewing Area Enunciators	7 Major /2 minor 15mm / 7mm Liquid crystal display 53mm x 30mm 6 Icons and 10 segment bar graph	
g.	Keypad		
h.	Columns x rows Key press feedback Accessibility	3x 4 Tactile/silicon rubber Visually impaired	
i. j.	Audible Feedback	Key presses Token accepted / rejection Low Credit warning	
k.	ICASA approval	Supply Rev number	
	Environmental		
I.	Operating temperature Storage temperature Humidity IP rating	-10°C to +55°C -25°C to +70°C 95% non-condensing 54	

• Warranty:

Description	Minimum requirements	Unit offered
Warranty	12 months	



2. Specifications for Supply and deliver of METERS wBEC44(09) WITH wCIU

2.1. Specifications of tenders' technical requirements:

A2.1	SINGLE PHASE DI (WIRED\RADIO FR			ER ONLY		DUAL	FUNCTION	Yes	No
a.	Single Phase DIN R								
	Dual Function (Wire	d/Radio Fre	equency)	Operated					
h	Voltage Ratings:		-20%+1	150/		2201/40	-2240VAC		
b.	Nominal voltage Supply Frequency		+20%+1	15%		50Hz	-2240VAC		
	Current		±270			SUFIZ			-
C.	Base current			5A					
C.	Max current		100A						
	Min starting current			Class 1 20)mA				
	Utilization category			UC2					
d.	Nominal Power Co	nsumption		1.6W/9VA					
e.	Accuracy			Class 1					
f.	Overvoltage rating			420 VAC f	or 48 hc	ours			
g.	Short-Circuit Ratin	g		3.0kA					
h.	Protection			Power Ove					
				Current O					
				Over/Unde					
				Delayed R Thermal O					
				Line/Load					
				Galvanic is		ai			
h.	Environmental			Carvario	Solution				
j.	Operating Temp			-10°C to +	55°C				
J -	Storage Temp		-25°C to +						
	Humidity			95% non-0	Condens	sing			
	IP Rating			IP 54					
	RF Immunity			30V/m					
k.	Status Indicator			MCU/UIU					
				Load / pow			L \		
I.	Installation			Rate LED	(1000 p	uises / Kvv	(1)		
m.	Footprint			DIN Rail M	Mounted	(35mm)		1	1
	Insulation Class			Double Ins		(3311111)			
n.	Terminals			podolo ilie	Jaiation			I	
0.		Live		Neutral		Commun	ication		
		Cage	clamp	Cage	clamp	Spring cla	amp 0.7mm		
		25mm	-	6mm	-		•		
p.	Security								
q.	Meter Housing			Security se	eals				
r.	Tamper protection			Tamper te	rminal c	over. Load	I disconnection		
				on tamper detection		<u></u>			
s.	Standards								
t.				OHSAS 18		07			
				IEC 62052					
				IEC 62053					
				IEC 62055					
				IEC 62056					
				IEC 60068					
				SANS 152	_				
				ISO 14001					
				ISO 9001:					



STELLENBOSCH.

MUNICIPALITY • UMASIPALA • MUNISIPAI

A2.2	WIRELESS USER INTERFACE UNIT (wCIU)			No
a.	Electrical Ratings			
	Battery Size (Alkaline)	AA		+
b.	No required `	2		
	Battery Voltage	1.5V		
	Operating Voltage Range	1.8 to 3V		
	Min Life span	3 years		
c.	Customer displayed Information			
		Status of Consumer AC Supply		+
d.		Available credit		
		Low Credit Warning		
		Token accept/Reject		
		Previously entered STS Token		
		Meter Status register		
e.	Displays			
	Number of digits	7 Major /2 minor		+
	Character height	15mm / 7mm		
f.	Type	Liquid crystal display		
	Viewing Area	53mm x 30mm		
a	Enunciators	6 Icons and 10 segment bar graph		
g.	Keypad			
h.	Columns x rows	3x 4		+
	Key press feedback	Tactile/silicon rubber		
	Accessibility	Visually impaired		
i.	Audible Feedback	Key presses		
		Token accepted / rejection		
j.		Low Credit warning		
k.	ICASA approval	Supply Rev number		
	Environmental	I		
I.	Operating temperature	-10°C to +55°C		1
	Storage temperature	-25°C to +70°C		
	Humidity	95% non-condensing		
	IP rating	54		
	i rauriy	J J T		

Warranty:

Description	Minimum requirements	Unit offered
Warranty	12 months	



STELLENBOSCH.

MUNICIPALITY • UMASIPALA • MUNISIPAI

A2.2	WIRELESS USER INTERFACE UNIT (wCIU)			No
a.	Electrical Ratings			
	Battery Size (Alkaline)	AA		
b.	No required	2		
	Battery Voltage	1.5V		
	Operating Voltage Range	1.8 to 3V		
	Min Life span	3 years		
c.	Customer displayed Information	n		
		Status of Consumer AC Supply		
d.		Available credit		
		Low Credit Warning		
		Token accept/Reject		
		Previously entered STS Token		
		Meter Status register		
).	Displays	1		
	Number of digits	7 Major /2 minor		
	Character height	15mm / 7mm		
	Type	Liquid crystal display		
	Viewing Area	53mm x 30mm		
	Enunciators	6 Icons and 10 segment bar graph		
g.	Keypad			
١.	Columns x rows	3x 4		
	Key press feedback	Tactile/silicon rubber		
	Accessibility	Visually impaired		
	Audible Feedback	Key presses		
	/ tadibio i ocabacit	Token accepted / rejection		
		Low Credit warning		
	ICASA approval	Supply Rev number		
k.	Environmental			1
L	Operating temperature	-10°C to +55°C		1
-	Storage temperature	-10 C to +33 C -25°C to +70°C		
	Humidity	95% non-condensing		
	IP rating	54		

• Warranty:

Description	Minimum requirements	Unit offered
Warranty	12 months	

This specification covers the requirements for the three-phase electronic four quadrant electronic demand meters and the plug-in GPSR modems. Bidders are to indicate compliance with the technical specification by ticking "Yes "or "No". Yes meaning compliance to specification and No meaning not complying with specification.

3. Applicable standards

The equipment shall conform in all respect with a relevant national standard. The standards below are applicable to both item 1.1 and 1.3.

Compliance with standard specifications		YES	NO
Watt-hour meters - Alternating Current(AC) electronic meters for active energy	SANS 1799 -2004		
Electricity Metering Equipment (AC) - general requirements, test and test conditions - Part I I: Metering equipment			
Electromechanical meters for active energy (Classes 0.5 1 and 2)	SANS 62053-11. (Part 11)		
Static meters for active energy (Classes 0.2S and 0.5S)	SANS 62053-22 (2003). Part 22 Replaced 60687 (1992)		
Electricity Metering Equipment (AC) - particular requirements Part 21: Static meters for active energy (Classes I and 2)			
Electricity Metering - Data exchange for meter reading, tariff and load control - Part 21: Direct local data exchange			
Automated Meter Reading for Large Power Users	SANS 473: 2006(NRS 071:2004)		
Code Of Practice for Electricity Metering	SANS 474: 2006(NRS 057:2005)		

3.1. Technical specification

3.1.1 Ratings for item 1.1

	Unit	Value	YES	NO
Rated Voltage	Yrms	230/400		
Rated Maximum Amperage	А	100A		
System Frequency	Hz	50		
Accuracy Class(kWh)		1		
Accuracy class(kVArh)		2		

3.1.2 Ratings for Item 1.3

	Unit	Value	YES	NO
Rated Voltage		230/400 and 6.53/1 IO(software selectable)		
Rated Maximum Amperage	A	5A(IOA)		
System Frequency	Hz	50		
Accuracy Class(kWh)		1		
Accuracy class(kVArh)		2		

3.1.3 Constructional requirements for both Item 1.1 and 1.3

		YES	NO
Network and connection type	Three phase 4 wire		
2. Measuring	kW, kWh, kV Ar and kVArh all import and export values. Power factor.		
3. Ingress Protection (IP) rating	51 minimum		
4. Meter sealable (terminal cover)	Required		
5. Display	Liquid Crystal Display and be able to display up to 7 digits		
6. Minimum life expectancy	10 years minimum		
7. Terminal arrangement and diameter size	BS5685, 50 mm2 or higher (item1.1) And 2.5mm2 or higher(item 1.3)		
8. Optical Port(IEC 620556-21)	Required		



STELLENBOSCH.

MUNICIPALITY • UMASIPALA • MUNISIPAI

10. Communication port RS 232(RJ12/R45) and RS485(RJ12/RJ45) 11. The meter shall retain the reading in memory in the event of a power failure. 12. Means of powering the LCD display in the event of a power failure to be included as an optional extra if available. 13. Meters to be compatible to Automatic Meter Reading. Details of the AMR compatibility shall be specified by the bidder. 14. The successful bidder must provide the latest version of meter programming software, the complete installation thereof, adequate training and software manuals must be provided without cost prior to the supplying of meters 15. All meters shall be calibrated at an accredited calibration laboratory and supplied with a calibration certificate. 16. Failure to provide proof of certification may result in non-compliance on the tender. 17. The meters must be suitable for surface mounting with front connections. 18. The meter lower fixing screws shall only be accessible after breaking the terminal cover seal and removing the cover. 19. A wiring diagram of the connections shall. be fixed to the inside of terminal cover. 20. The meters must have internal battery. 21. The battery lifespan must be at least 3 years. 22. The following facilities and programmable capabilities shall be provided: (a) A sealable manual reset button (b) The maximum demand readings must be date and time stamped. (c) The period of integration for the maximum demand shall be programmable to accommodate a 5 minute to a 60 minute setting. (d) A minimum of four programmable pulse outputs to accommodate kWh, kVAh or (kVArh -lag or lead), integration period reset and month end reset. The output pulses must be voltage free, capable of switching	 Auxiliary terminal must be fixed and no additional attachments must be required 	Fixed 6 x Pulse outputs and 4 x input pulses	
11. The meter shall retain the reading in memory in the event of a power failure. 12. Means of powering the LCD display in the event of a power failure to be included as an optional extra if available. 13. Meters to be compatible to Automatic Meter Reading. Details of the AMR compatibility shall be specified by the bidder. 14. The successful bidder must provide the latest version of meter programming software, the complete installation thereof, adequate training and software manuals must be provided without cost prior to the supplying of meters 15. All meters shall be calibrated at an accredited calibration laboratory and supplied with a calibration certificate. 16. Failure to provide proof of certification may result in non-compliance on the tender. 17. The meters must be suitable for surface mounting with front connections. 18. The meter lower fixing screws shall only be accessible after breaking the terminal cover seal and removing the cover. 19. A wiring diagram of the connections shall. be fixed to the inside of terminal cover. 20. The meters must have internal battery. 21. The battery lifespan must be at least 3 years. 22. The following facilities and programmable capabilities shall be provided: (a) A sealable manual reset button (b) The maximum demand readings must be date and time stamped. (c) The period of integration for the maximum demand shall be programmable to accommodate a 5 minute to a 60 minute setting. (d) A minimum of four programmable pulse outputs to accommodate kWh, kVAh or (kVArh -lag or lead), integration period reset and month	10. Communication port	RS 232(RJ12/R45) and	
failure. 12. Means of powering the LCD display in the event of a power failure to be included as an optional extra if available. 13. Meters to be compatible to Automatic Meter Reading. Details of the AMR compatibility shall be specified by the bidder. 14. The successful bidder must provide the latest version of meter programming software, the complete installation thereof, adequate training and software manuals must be provided without cost prior to the supplying of meters 15. All meters shall be calibrated at an accredited calibration laboratory and supplied with a calibration certificate. 16. Failure to provide proof of certification may result in non-compliance on the tender. 17. The meters must be suitable for surface mounting with front connections. 18. The meter lower fixing screws shall only be accessible after breaking the terminal cover seal and removing the cover. 19. A wiring diagram of the connections shall. be fixed to the inside of terminal cover. 20. The meters must have internal battery. 21. The battery lifespan must be at least 3 years. 22. The following facilities and programmable capabilities shall be provided: (a) A sealable manual reset button (b) The maximum demand readings must be date and time stamped. (c) The period of integration for the maximum demand shall be programmable to accommodate a 5 minute to a 60 minute setting. (d) A minimum of four programmable pulse outputs to accommodate kWh, kWAh or (kVArh -lag or lead), integration period reset and month		RS485(RJ12/RJ45)	
be included as an optional extra if available. 13. Meters to be compatible to Automatic Meter Reading. Details of the AMR compatibility shall be specified by the bidder. 14. The successful bidder must provide the latest version of meter programming software, the complete installation thereof, adequate training and software manuals must be provided without cost prior to the supplying of meters 15. All meters shall be calibrated at an accredited calibration laboratory and supplied with a calibration certificate. 16. Failure to provide proof of certification may result in non-compliance on the tender. 17. The meters must be suitable for surface mounting with front connections. 18. The meter lower fixing screws shall only be accessible after breaking the terminal cover seal and removing the cover. 19. A wiring diagram of the connections shall. be fixed to the inside of terminal cover. 20. The meters must have internal battery. 21. The battery lifespan must be at least 3 years. 22. The following facilities and programmable capabilities shall be provided: (a) A sealable manual reset button (b) The maximum demand readings must be date and time stamped. (c) The period of integration for the maximum demand shall be programmable to accommodate a 5 minute to a 60 minute setting. (d) A minimum of four programmable pulse outputs to accommodate kWh, kVAh or (kVArh -lag or lead), integration period reset and month		memory in the event of a power	
AMR compatibility shall be specified by the bidder. 14. The successful bidder must provide the latest version of meter programming software, the complete installation thereof, adequate training and software manuals must be provided without cost prior to the supplying of meters 15. All meters shall be calibrated at an accredited calibration laboratory and supplied with a calibration certificate. 16. Failure to provide proof of certification may result in non-compliance on the tender. 17. The meters must be suitable for surface mounting with front connections. 18. The meter lower fixing screws shall only be accessible after breaking the terminal cover seal and removing the cover. 19. A wiring diagram of the connections shall. be fixed to the inside of terminal cover. 20. The meters must have internal battery. 21. The battery lifespan must be at least 3 years. 22. The following facilities and programmable capabilities shall be provided: (a) A sealable manual reset button (b) The maximum demand readings must be date and time stamped. (c) The period of integration for the maximum demand shall be programmable to accommodate a 5 minute to a 60 minute setting. (d) A minimum of four programmable pulse outputs to accommodate kWh, kVAh or (kVArh -lag or lead), integration period reset and month			
programming software, the complete installation thereof, adequate training and software manuals must be provided without cost prior to the supplying of meters 15. All meters shall be calibrated at an accredited calibration laboratory and supplied with a calibration certificate. 16. Failure to provide proof of certification may result in non-compliance on the tender. 17. The meters must be suitable for surface mounting with front connections. 18. The meter lower fixing screws shall only be accessible after breaking the terminal cover seal and removing the cover. 19. A wiring diagram of the connections shall. be fixed to the inside of terminal cover. 20. The meters must have internal battery. 21. The battery lifespan must be at least 3 years. 22. The following facilities and programmable capabilities shall be provided: (a) A sealable manual reset button (b) The maximum demand readings must be date and time stamped. (c) The period of integration for the maximum demand shall be programmable to accommodate a 5 minute to a 60 minute setting. (d) A minimum of four programmable pulse outputs to accommodate kWh, kVAh or (kVArh -lag or lead), integration period reset and month	•	<u> </u>	
and supplied with a calibration certificate. 16. Failure to provide proof of certification may result in non-compliance on the tender. 17. The meters must be suitable for surface mounting with front connections. 18. The meter lower fixing screws shall only be accessible after breaking the terminal cover seal and removing the cover. 19. A wiring diagram of the connections shall. be fixed to the inside of terminal cover. 20. The meters must have internal battery. 21. The battery lifespan must be at least 3 years. 22. The following facilities and programmable capabilities shall be provided: (a) A sealable manual reset button (b) The maximum demand readings must be date and time stamped. (c) The period of integration for the maximum demand shall be programmable to accommodate a 5 minute to a 60 minute setting. (d) A minimum of four programmable pulse outputs to accommodate kWh, kVAh or (kVArh -lag or lead), integration period reset and month	programming software, the complete in and software manuals must be provided	nstallation thereof, adequate training	
on the tender. 17. The meters must be suitable for surface mounting with front connections. 18. The meter lower fixing screws shall only be accessible after breaking the terminal cover seal and removing the cover. 19. A wiring diagram of the connections shall. be fixed to the inside of terminal cover. 20. The meters must have internal battery. 21. The battery lifespan must be at least 3 years. 22. The following facilities and programmable capabilities shall be provided: (a) A sealable manual reset button (b) The maximum demand readings must be date and time stamped. (c) The period of integration for the maximum demand shall be programmable to accommodate a 5 minute to a 60 minute setting. (d) A minimum of four programmable pulse outputs to accommodate kWh, kVAh or (kVArh -lag or lead), integration period reset and month		•	
20. The meters must have internal battery. 21. The battery lifespan must be at least 3 years. 22. The following facilities and programmable capabilities shall be provided: (a) A sealable manual reset button (b) The maximum demand readings must be date and time stamped. (c) The period of integration for the maximum demand shall be programmable to accommodate a 5 minute to a 60 minute setting. (d) A minimum of four programmable pulse outputs to accommodate kWh, kVAh or (kVArh -lag or lead), integration period reset and month		on may result in non-compliance	
the terminal cover seal and removing the cover. 19. A wiring diagram of the connections shall. be fixed to the inside of terminal cover. 20. The meters must have internal battery. 21. The battery lifespan must be at least 3 years. 22. The following facilities and programmable capabilities shall be provided: (a) A sealable manual reset button (b) The maximum demand readings must be date and time stamped. (c) The period of integration for the maximum demand shall be programmable to accommodate a 5 minute to a 60 minute setting. (d) A minimum of four programmable pulse outputs to accommodate kWh, kVAh or (kVArh -lag or lead), integration period reset and month		face mounting with front	
terminal cover. 20. The meters must have internal battery. 21. The battery lifespan must be at least 3 years. 22. The following facilities and programmable capabilities shall be provided: (a) A sealable manual reset button (b) The maximum demand readings must be date and time stamped. (c) The period of integration for the maximum demand shall be programmable to accommodate a 5 minute to a 60 minute setting. (d) A minimum of four programmable pulse outputs to accommodate kWh, kVAh or (kVArh -lag or lead), integration period reset and month	•	•	
21. The battery lifespan must be at least 3 years. 22. The following facilities and programmable capabilities shall be provided: (a) A sealable manual reset button (b) The maximum demand readings must be date and time stamped. (c) The period of integration for the maximum demand shall be programmable to accommodate a 5 minute to a 60 minute setting. (d) A minimum of four programmable pulse outputs to accommodate kWh, kVAh or (kVArh -lag or lead), integration period reset and month	19. A wiring diagram of the connections terminal cover.	shall. be fixed to the inside of	
22. The following facilities and programmable capabilities shall be provided: (a) A sealable manual reset button (b) The maximum demand readings must be date and time stamped. (c) The period of integration for the maximum demand shall be programmable to accommodate a 5 minute to a 60 minute setting. (d) A minimum of four programmable pulse outputs to accommodate kWh, kVAh or (kVArh -lag or lead), integration period reset and month	20. The meters must have internal batte	ery.	
(a) A sealable manual reset button (b) The maximum demand readings must be date and time stamped. (c) The period of integration for the maximum demand shall be programmable to accommodate a 5 minute to a 60 minute setting. (d) A minimum of four programmable pulse outputs to accommodate kWh, kVAh or (kVArh -lag or lead), integration period reset and month	21. The battery lifespan must be at leas	st 3 years.	
(c) The period of integration for the maximum demand shall be programmable to accommodate a 5 minute to a 60 minute setting. (d) A minimum of four programmable pulse outputs to accommodate kWh, kVAh or (kVArh -lag or lead), integration period reset and month		mable capabilities shall be provided:	
programmable to accommodate a 5 minute to a 60 minute setting. (d) A minimum of four programmable pulse outputs to accommodate kWh, kVAh or (kVArh -lag or lead), integration period reset and month	(b) The maximum demand readings mu	st be date and time stamped.	
kVAh or (kVArh -lag or lead), integration period reset and month	• • •		
	kVAh or (kVArh -lag or lead), integration	n period reset and month	



STELLENBOSCH STELLENBOSCH - PNIEL - FRANSCHHOEK

MUNICIPALITY • UMASIPALA • MUNISIPAI

230 V AC and must be of an impulse action type.	
200 V / 10 ama mast 50 of an impaico action type:	
23. Time of use(TOU)	
(a) Meters must be fully programmable to accommodate Time-Of- Use	
(TOU) rates for a minimum of 7 TOU active energy registers which	
include a totalized energy register.	
(b) Must have a minimum of 4 seasons	
(c) Must have a minimum of 10 tier switches per day	
24. Access to allow for uploading (modification) of tariff schemes shall	
only be by means of unique passwords.	
25. Display requirements(Must have at least two display modes)	
26. DISPLAY MODE 1 minimum requirements	
1) tariff name	
2) date and time	
3) energy and demand registers	
27. DISPLAY MODE 2 minimum requirements	1
1) voltage on each element	1
2) current on each element3) instantaneous active power	1
4) instantaneous active power	1
5) instantaneous apparent power	
6) instantaneous power factor	
7) instantaneous active power on each element	
28. All items shall be fitted with an internal clock with a time drift of not	
more than 1 second per day.	
29. The meters must have memory capacity to store at least 4 channels of	
load profile data (30 minute integration period) for a minimum period of at	
least four months.	
30. The software to program and access and utilize all available Features	-
and facilities of the meters shall be supplied at no cost. Upgrade software	
revisions shall be supplied at no cost when it becomes available. This	
software must be Microsoft windows compatible.	
31. Communication protocol shall be provided to any third party on	
request for AMR implementation at no charge.	
32. Suppliers could be requested to demonstrate their offered meter's AMR	
software capability on Council's existing system to determine compatibility. If	
not, the successful supplier must provide infrastructure at the Bidders cost, to achieve the functionality.	
une bidders cost, to achieve the functionality.	
33. Makings and labeling shall be according to the relevant standard	
34 Programmable display sequence with English display descriptors	
2.1. Togrammable dioplay objection with English display descriptors	

3.3. Technical specification for items 1.2 and 1.4

3.3.1 Requirements

	YES	NO
Plug-in modem to be power from the meters power supply		
Plug-in modem to be GPRS enabled and be able to be configured for Stellenbosch APN		
3. Software to configure the modem to be supplied at no cost		
 Plug-in modem must have a slot to insert a standard SIM Card if no SIM card slot available modem must have a chip SIM (Please specify) 		

3.4. Documentation (for Items 1.1 and 1.3)

		Yes	No
Type test certificates (I set)	Required		
2.Installation, operating and maintenance instructions (1 sets)	Required		
3.Details of special tools required (1 set)	Required		
4.Calibration Certificate	Required		

3.5 Delivery address

All goods to be delivered to:

Stellenbosch Electro-technical Department, Beltana Complex, Helshoogte Road, Stellenbosch. GPS co-ordinates: Latitude -33.9268 Longitude 18.8821

Minimun requirements:

- (a) All supporting documentation of the submission must be attached.
- (b) The Bidder shall be the OEM (Original Equipment Manufacturer), OR an accredited distributor with the OEM. The Bidder shall submit proof in form of a letter from the OEM as well as proof of after sales support with the quotation submission.
- (c) All specifications and copies of type test results and certificates of the ratings of equipment offered shall be included in the quotation. Quotations will not be considered if the required test certificates are not included in the quotation document.
- (d) Company profile
- (e) A company profile demonstrating the company establishment, financial status and experience must include.
- (f) Please ensure that reference names and contact details are relevant as these references will be contacted to confirm as part of the evaluation process. A minimum of 2 references of completed contracts/ similar projects are required for successful for evaluation of this Tender.

NONE COMPLIANCE TO SPECIFICATIONS WILL INVALIDATE YOUR OFFER

Note: It should be noted that the service will commence in 2024/2025 financial year.

Does your offer comply with these specifications? - Indicate YES or NO

1.1 Bidder's dec	laration			
I,		(bidder's	name)	representative
	(company	name) hereby conf	irm reading	and understanding abo
mentioned r	equirements of this	tender and is in f	ull agreeme	nt with these terms a
conditions.				
Signature: _		_		
Date:		_		
The Municipality extent of the job The approved bi loss of life, injuri accessories. All	. dder must sign an ind es or loss caused by insurances to cover ractors will indemnify	demnity form to acce his/their action to the above mentio	ept the respo any municip ned, are for gainst any o	ereof and may adjust the consibility for any damage all property, equipment the contractors accounts and that may arise from the contractors.
that may arise in the Occupationa		is formal quotation/ OHS) Act and its a	tender/quota	claim(s) for damages ations in accordance wit gulations.
_	hat I/we will comply v	with all of the above.		understand the informa
pacity		1	Date	

In the event of any deviation from the minimum specifications, the bidder must attach details thereof to this bid document.

MBD 3.1

PRICING SCHEDULE – FIRM PRICES (PURCHASES)

NOTE: ONLY FIRM PRICES WILL BE ACCEPTED. NON-FIRM PRICES (INCLUDING PRICES SUBJECT TO RATES OF EXCHANGE VARIATIONS) WILL NOT BE CONSIDERED

Name of bidder:	Quotation number:
Closing Time:	Closing Date:

OFFER TO BE VALID FOR 60 DAYS FROM THE CLOSING DATE OF BID.

NOTE:

- 1. Only firm prices will be accepted. Non-firm prices will not be considered.
- 2. All delivery costs MUST be included in the bid price, for delivery at the prescribed destination.
- 3. Document MUST be completed in non-erasable black ink.
- 4. NO correction fluid/tape may be used.
 - a. In the event of a mistake having been made, it shall be crossed out in ink and be accompanied by an initial at each and every alteration.
- 5. The Bidder MUST indicate whether he/she/the entity is a registered VAT Vendor or not.
 - In the case of the Bidder not being a registered VAT Vendor, both columns (amount/rate excluding AND including VAT) must reflect the same amount.

Pricing Instructions

Only firm prices will be accepted. Non-firm prices will not be considered.

Delivery Period	Price Schedule		
	Manufacturer: -		
	Please complete:		
	Type and model: -		
	Please complete:		
ITEM NO	Description	Estimated	Unit Price
		Quantity	Incl Vat
1	wBEC62(09)	100	
2	wCIU	100	

Delivery Period	Price Schedule		
	Manufacturer: - Please complete:		
	Type and model: - Please complete:		
ITEM NO	Description	Estimated Quantity	Unit Price Inc Vat
1	wBEC44(09)	100	
2	wCIU	100	

ITEM NO.	DESCRIPTION	MANUFACTURER & Make	DELIVERY PERIOD (WEEKS)	UNIT PRICE VAT INCLUSIVE
	Solid State Programmable whole			
1	current meters, 400V, 20A -100A			R
	Plug-in General Packet Radio Services			
	(GPRS) modem with external antenna			
2	for Item 1.1			R
	Transformer operated four quadrant			
3	programmable meters, 400V, 5A(10A)			

Please note that this contract will be awarded on a rates basis.

Price to include all costs. R300 000,00 threshold applicable. Prices offered in pricing schedule to be firm for the duration of this contract

NB: Stellenbosch Municipality reserve the right to downward adjust the scope of work/ quantity required to stay within its budget, R300 000 threshold applicable.

Note: All cost must be included in price, and prices must be firm for the duration of the project within the above-mentioned threshold.

** "all applicable taxes" includes value- added tax, pay as you earn, income tax, unemployment insurance fund contributions and skills development levies.

-	Does offer comply with specification?	YES/NO
-	If not to specification, indicate deviation(s)	
-	Is price firm for duration of contract	YES/NO
-	Period required for service delivery	

VALUE ADDED TAX

The amended Value-Added Tax Act requires that a Tax Invoice for supplies in excess of R3 000 should, in addition to the other required information, also disclose the VAT registration number of the recipient, with effect from 1 March 2005.

The VAT registration number of the Stellenbosch Municipality is 4700102181

CHECK LIST FOR COMPLETENESS OF BID DOCUMENT

The bidder is required to complete the following checklist in order to ensure that the necessary documentation, as required, is attached to this bid document and that all declarations are signed by the bidder:

(*Mark with "X" where applicable)

(*IVI	ark with "X" where applicable)			
Ite	ms to be checked	Yes	No	Comments
1.	Completed and signed MBD 1			
2.	Authority to sign bid			
3.	Completed the pricing schedule (MBD 3.1)			
4.	Completed and signed declaration of interest (MBD 4)			
5.	Completed and signed declaration in order to claim preference points (MBD 6.1) and attached a certified copy or original B-BBEE certificate as well as proof of address to claim locality points Copy of the B-BBEE Certificate issued by a Verification Agency accredited by SANAS or the original Sworn Affidavit must be attached (NB! BBBEE CERTIFICATES CAN BE VERIFIED WITH THE VERIFICATION AGENCY BUT A SWORN AFFIDAVIT MUST BE AN ORIGINAL AND NOT A COPY TO BE ELIGIBLE FOR BBBEE POINTS)			
6.	Completed and signed declaration of bidder's past supply chain management practices (MBD 8)			
7.	Completed and signed certificate of independent bid determination (MBD 9)			
8.	Completed and signed certificate for municipal services and payments to service providers and attached a copy of your municipal account which is not older than 90 days			
9.	Signed declaration for understanding and complying with technical specifications			
10.	Bidder to initial every page of this bid document			

CERTIFICATION

	NAME)CERTIFY THIS CHECK LIST IS TRUE AND CORRECT.	THAT	THE
Name (print)	Signature		
Position	 Date		