


# Ward 5 in a nutshell



## Size

### Ward 5 in comparision to the Stellenbosch population:

(5 656 of 155 733 or 3.6%)



# **Demographics**

## Stellenbosch

0 to 14 year olds = 22.8%**15** to **64** year olds $^1$  = **72.3%** 

4.9%

**65** years+

<sup>1</sup>Working age population

Coloured = 52.2%

**Black Africans** = 28.1%

18.5%

White

Indian/Asian = 0.4% **Employment** 

Ward 5

0 to 14 year olds = 23.4% $15 \text{ to } 64 \text{ year olds}^1 = 70.8\%$ 

65 years+ 5.8%

<sup>1</sup>Working age population

Coloured = 91.9%


**Black Africans** = 4.2%

White = 3.1%

Indian/Asian = 0.5%

# Stellenbosch


= 84.8% **Employed 5.2%** Unemployed =



# Ward 5

**Employed** Unemployed = 14.9%

= 85.1%



### **Monthly income** % of employed Ward 5

Stellenbosch

R1 601 - R3 200 = **24.4%** R801 - R1 600 = 17.1%

R3 201 - R6 400 = 12.4%



## R1 601 - R3 200 = 20.2%

R3 201 – R6 400 = **14.8%** 24.9% of respondents did not specify their income



### 20 years and older Ward 5

# Stellenbosch

53.6% No matric 23,5% **Matriculated** 

16.3% **Higher education** 

### 58.8% No matric

27.8% **Matriculated** 

12.6% **Higher education** Type of dwelling



20 years and older

% of households

% of households

### % of households Ward 5

# Stellenbosch

**57.3%** House or brick/concrete structure 17.3% Informal dwelling/shack in

informal/squatter settlement 10.1% Flat or apartment

**Paraffin** 



**96.5%** House or brick/concrete structure

## % of households

### Stellenbosch 67.5%

13.9%

9.6%

Lighting source 92.9% Electricity

**7.8**% Borehole

91.0%

Refuse removal

1400

1200

1000

3000 2500

0

87.0%

4.7%

**Unemployment by ward** 

Regional/local water scheme

Flush toilets connected to sewerage system or septic tank

Own refuse damp How does Ward 5 compare to other Wards?

Electricity No heating source

Local authority/private company at least once a week

Ward 5

Heating source 65.2%

29.5% No heating source 99.8% Electricity

Electricity

Lighting source


**87.0**% Regional/local water scheme Borehole

Refuse removal

Flush toilets connected to sewerage system


91.8% Local authority/private company at least once a week <sup>2</sup>Operated by municipality or other water services provider

R6401 - R12800 R12801 - R25600 R25601 - R51200 R51201 - R102400 R102401 - R204800 R204801 or more





R1 - R400



R3201 - R6400

### Highest level of education attained (% of 20 years and older) Stellenbosch

R801 - R1600

R1601 - R3200

R401 - R800

