



STELLENBOSCH
STELLENBOSCH • PNIEL • FRANSCHHOEK

MUNICIPALITY • UMASIPALA • MUNISIPALITEIT

ADDENDUM TO FQ/SM 106/23 REPAIRS OF VAN DER STEL SQUASH COURT FACILITY

The Stellenbosch Municipality has concluded the following amendment(s) that will be made to the official request in formal quotation documentation.

After the compulsory clarification site meeting on Friday, 20 April 2023, the following amendments must be made to the specifications by means of this addendum.

Previous specifications as below:

Court 1

- Patch wall repairs. filling of holes in the walls should be Solidbond QSP, quickset epoxy by Technical Finishes or an equivalent product.
- Sealer applied to whole front walls: Plascon Floortect 7 SB GW7 Sealer or an equivalent product.
- Paint needs to be Plascon Floortect 3000 WB (White) or an equivalent epoxy paint. Apply a minimum of 2 coats.

Court 3

- Front wall (wrongly applied) cretestone to be chopped off.
- Necessary wall repairs to be performed before sealer is applied.
- Skimming if needed should be Techfin Plaster Finish by Technical Finishes or an equivalent product.
- After repairs, apply sealer applied to whole front walls: Plascon Floortect 7 SB GW7 Sealer or an equivalent product.
- Paint needs to be Plascon Floortect 3000 WB (White) or an equivalent epoxy paint. Apply a minimum of 2 coats.

Court 4

- Remove the front wall fiberglass needs removing before sealing / painting.
- Skimming if needed should be Techfin Plaster Finish by Technical Finishes or an equivalent product.
- Sealer applied to whole front walls: Plascon Floortect 7 SB GW7 Sealer or an equivalent product.
- Paint needs to be Plascon Floortect 3000 WB (White) or an equivalent epoxy paint. Apply a minimum of 2 coats.

Floor repairs

- Sanding of all 4 squash courts, all courts must be sanded at the same time.
- Afterwards vacuum and clean all the sanded floors.
- Apply and varnish all the courts with Wooddoc 5 Matt polyurethane floor sealer or an equivalent product.
- Repaint all the lines.

The new amended specifications to be used as seen below;

Court 1

- Patch wall repairs. filling of holes in the walls should be Solidbond QSP, quickset epoxy by Technical Finishes or an equivalent product.
- Sealer applied to whole front walls: Plascon Floortect 7 SB GW7 Sealer or an equivalent product.
- Paint needs to be Plascon Floortect 3000 WB (White) or an equivalent epoxy paint. Apply a minimum of 2 coats.
- All protruding nails on the court must be knocked in deeper with the finish level to be flush with the court surface.

Court 3

- Front wall (wrongly applied) cretestone to be chopped off, supply and install new fibreglass on front wall. Apply the necessary sealer on the walls.
- Necessary wall repairs to be performed before sealer is applied.
- Skimming if needed should be Techfin Plaster Finish by Technical Finishes or an equivalent product.
- After repairs, apply sealer applied to whole front walls: Plascon Floortect 7 SB GW7 Sealer or an equivalent product.
- Paint needs to be Plascon Floortect 3000 WB (White) or an equivalent epoxy paint. Apply a minimum of 2 coats.

Court 4

- Front wall (wrongly applied) cretestone to be chopped off, supply and install new fibreglass on front wall. Apply the necessary sealer on the walls.
- Skimming if needed should be Techfin Plaster Finish by Technical Finishes or an equivalent product.
- Sealer applied to whole front walls: Plascon Floortect 7 SB GW7 Sealer or an equivalent product.
- Paint needs to be Plascon Floortect 3000 WB (White) or an equivalent epoxy paint. Apply a minimum of 2 coats.

Floor repairs

- Sanding (40 grit) of all 4 squash courts, all courts must be sanded at the same time.
- Afterwards vacuum and clean all the sanded floors.
- Reseal all flooring with porous non-slip.
- Repaint all the lines on the floors and walls.

Please confirm whether your company is accepting the proposed amendments

YES/NO

G METTLER
MUNICIPAL MANAGER

DATE:

Note: Confirmation to the addendum

CONFIRMATION

I (Name) hereby declare on behalf of
(Company's

name), to agree/not agree (please encircle) to the above changes in the evaluation criteria of scoring.

Address:
.....
.....

Tel no.:

Fax no.:

Signature of bidder:

Date: