



STELLENBOSCH

STELLENBOSCH • PNIEL • FRANSCHHOEK

MUNISIPALITEIT • UMASIPALA • MUNICIPALITY

Application Number: LU/16630 / TP589/2023

Our File Reference Number: Farm 266/11, Stellenbosch

Your Reference Number:

Enquiries: Ulrich von Molendorff

Contact No: 021 – 808 8682

Email address: Ulrich.Vonmolendorff@stellenbosch.gov.za

PER E-MAIL

Dear Sir/Madam

APPEAL LODGED IN TERMS OF SECTION 79(2) OF THE STELLENBOSCH MUNICIPAL LAND USE PLANNING BY-LAW: APPLICATION FOR CONSENT USE AND DEPARTURE ON FARM NO. 266/11, STELLENBOSCH DIVISION

1. This Municipality's decision letter dated 20 May 2025 refers.
2. The Appeal Authority resolved on 19 June 2026 that the appeal submitted against the decision of the Municipal Planning Tribunal made on the 28th of March 2025, in respect of the subject application **BE UPHELD**, and that the subject decision **BE REVOKED** in terms of Section 81(7)(b) of the Stellenbosch Municipal Land Use Planning By-law and **BE REPLACED** as follows:
 - 2.1 That the application(s) in terms of Section 15(2) of the Stellenbosch Municipality Land Use Planning By-law on Farm No. 266/11, Stellenbosch Division for:
 - 2.1.1 Consent Use in terms of Section 15(2)(o) of the said By-law for a tourist accommodation establishment limited to a total number of 18 bedrooms which derives from the conversion of the existing guesthouse approval and the inclusion of an additional existing unauthorised building consisting of two (2) dwellings and five (5) additional bedrooms and associated support facilities,

2.1.2 Departure in terms of Section 15(2)(b) of the said By-law to relax the northwestern common building line (adjacent to Farm No. 266/10) from 5,0m to stretch from 0,3m on the northwestern point to 0,9m on the southwestern point to accommodate the existing unauthorised building on the subject property,

BE APPROVED in terms of Section 60 of the said By-law.

3. The approval is subject to the following conditions imposed in terms of Section 66 of the said By-law:

- 3.1 The approval only applies to the application under consideration and shall not be construed as authority to depart from any other legal prescriptions or requirements from Council or other legislation or By-laws or Regulations that may be applicable.
- 3.2 The development be implemented substantially in accordance with the endorsed site development plan reference as Project no: P3130 with Plan no: 4, drawn by TV3 and dated 24/11/2023, attached as **Annexure A**.
- 3.3 The use of the unauthorised building be undertaken in accordance with the floor and elevation plans referenced as Project No: RCAD/06/13 with Drawing No: 101 and 102, drawn by RCAD and dated Jan 2013, attached as **Annexure A**.
- 3.4 A building plan indicating any unauthorised building work and the resulting change of land use be submitted and approved prior to the vesting of the land use rights.
- 3.5 The non-agricultural land uses hereby permitted must remain subservient to and not adversely impact the primary agricultural land use potential or natural environment on the subject property or surrounding properties.
- 3.6 The tourist accommodation establishment units hereby approved shall be used exclusively for transient guest occupancy on a short-term basis. No long-term leases or permanent residential agreements shall be entered into for any unit or room. The units are strictly restricted to self-catering tourist use. They may not be

utilised as "additional dwelling units" or primary residences for permanent occupants.

- 3.7 The tourist accommodation establishment is restricted to the said buildings and no extensions in the number of units or the size of its footprints are permitted, and the land use right for the tourist accommodation establishment may not be repurposed into any newly build or redeveloped structures, and the existing structures may also not be repurposed for any other non-agricultural use.
- 3.8 Should the approved and purpose built tourist accommodation establishment cease to operate, the repurposing of any structure and facilities associated with the subject approved land use activity will not be permitted and the subject structures, facilities and related infrastructure, at the cost of the owner, must be demolished and the site be rehabilitated, and the land and any buildings that are not demolished be restored for agricultural related uses or uses permitted as primary use rights in terms of the zoning of the property within a year of ceasing the approved land use activity.
- 3.9 The tourist accommodation establishment and its associated support facilities are reserved for the exclusive use of overnight transient guests. The site may not be used as a function venue or for the hosting of events, including but not limited to weddings, receptions, conferences, or training sessions. Use of the associated facilities by day visitors or any persons other than registered overnight transient guests is strictly prohibited. No self-catering unit may be utilised for any purpose other than guest lodging; specifically, no organised group activities or gatherings are permitted within the units or its associated support facilities.
- 3.10 The land use must not create any undue noise or be a nuisance to the surrounding area and that precautionary measures be taken to avoid environmental noise pollution in terms of the Western Cape Noise Control Regulations, 2013, PN. 200/2013 made in terms of Section 25 of the Environmental Conservation Act, 1989 (Act No 73 of 1989).
- 3.11 Sufficient onsite parking be provided in accordance with the provisions of the Zoning Scheme By-law to the satisfaction of the Municipality and that onsite parking be provided on the same land unit where the land use is located.

3.12 Development charges are payable in accordance with the prevailing and applicable Council Tariffs at the time of payment prior to the approval of any building plans to the satisfaction of the Directorate Infrastructure Services.

3.13 The conditions relating to infrastructure services imposed by the Directorate Infrastructure Services contained in the memorandum dated 16/07/2024 and comment dated 16/04/2024, and attached as **Annexure B**, be complied with to the satisfaction of the said department.

3.14 A contravention penalty in accordance with the prevailing and applicable Council Tariffs in respect of the unlawful utilisation of land is payable within 30 days from the date of final notification that the approval comes into operation and prior to the approval of any building plan.

4. The **reasons** for the above decision are as follows:

4.1 The approval is for the existing structure to be utilised in conjunction with an approved land use rights for tourism accommodation.

4.2 Due to the property size agricultural use is a non-viable option, however it will and should not be detrimental to the rural landscape and the surrounding agriculture use.

5. **Matters** to be noted:


5.1 The approved land use rights only come into effect once all suspensive conditions or relevant legislative provisions, including the payment of the contravention penalty, have been complied with.

5.2 Building plans for all proposed or unauthorised structures or change in land use be submitted to and approved by the Municipality. The approval of any building plan is subject to full compliance with all relevant and qualified conditions of land use rights and approvals to be indicated on the Town Planning Compliance Checklist for Building Plans.

- 5.3 The approval granted shall not exempt the applicant from complying with any other legal prescriptions or requirements that might have a bearing on the proposed use.
- 5.4 No directorial, advertisement, or any other signs or flags may be erected on the subject property or in any road reserve prior to the approval of Stellenbosch Municipality or the authorised authority.
- 5.5 Should the premises be used for a category of business which is required to be licensed in terms of the Business Act, No. 71 of 1991 i.e. sale and supply of meals, health and entertainment, etc, then application be made for the relevant business license. Should food be prepared or handled, then application also be made in writing to the Municipal Health Services Department of the Cape Winelands District Municipality for a Certificate of Acceptability (COA) for food premises in terms Regulation 638 of 22 June 2018 promulgated under the Foodstuffs, Cosmetics and Disinfectants Act, No 54 of 1972.
- 5.6 A liquor license be obtained from the appropriate authority if required.
- 5.7 Should, after following due process –
- a. The subject approval remains in breach of complying with any of the conditions of approval required for the vesting of the subject approval, and/ or
 - b. The use of the property be in breach of any of the conditions of approval, inclusive of persistent complaints, and/ or
 - c. The property be used for any unauthorised uses not permitted in terms of this and other approvals,
- the authorised official of the Municipality will exercise its discretion in terms of Section 90(c) of the Municipal Land Use Planning By-Law to withdraw the subject approval granted and the building structures to be reverted to uses in line with the primary use of the property.
6. Accordingly, the decision detailed in this letter may be implemented, subject to compliance with the conditions of approval.

7. The appeal process has now been concluded.

Yours faithfully



FOR DIRECTOR: PLANNING AND ECONOMIC DEVELOPMENT

28/8/2026.
DATE:

COPIES TO :





STELLENBOSCH
STELLENBOSCH • PNIEL • FRANSCHHOEK

MUNICIPALITY • UMASIPALA • MUNISIPALITEIT

ANNEXURE A

This is a detailed architectural floor plan of a three-story building, likely a school or institutional structure. The plan shows multiple rooms including classrooms, a library, a cafeteria, a gymnasium, and administrative offices. Dimensions are provided for various sections, and a north arrow is present.

Key Features and Dimensions:

- Overall Dimensions:** The building is approximately 4000 units wide and 10000 units long.
- Rooms and Areas:**
 - Classrooms:** Multiple rooms labeled "CLASSROOM" with dimensions like 10' x 10' and 12' x 12'.
 - Library:** A large room labeled "LIBRARY" with dimensions like 10' x 10' and 12' x 12'.
 - Cafeteria:** A large room labeled "CAFETERIA" with dimensions like 10' x 10' and 12' x 12'.
 - Gymnasium:** A large room labeled "GYMNASIUM" with dimensions like 10' x 10' and 12' x 12'.
 - Administrative Offices:** Rooms labeled "OFFICE" and "RECEPTION" with dimensions like 10' x 10' and 12' x 12'.
 - Restrooms:** Multiple restrooms labeled "RESTROOM" with dimensions like 10' x 10' and 12' x 12'.
 - Stairwells:** Multiple stairwells labeled "STAIRWELL" with dimensions like 10' x 10' and 12' x 12'.
 - Storage:** Multiple storage rooms labeled "STORAGE" with dimensions like 10' x 10' and 12' x 12'.
- Dimensions:**
 - Overall width: 4000 units.
 - Overall length: 10000 units.
 - Room dimensions: 10' x 10', 12' x 12', 14' x 14', 16' x 16', 18' x 18', 20' x 20', 22' x 22', 24' x 24', 26' x 26', 28' x 28', 30' x 30', 32' x 32', 34' x 34', 36' x 36', 38' x 38', 40' x 40', 42' x 42', 44' x 44', 46' x 46', 48' x 48', 50' x 50', 52' x 52', 54' x 54', 56' x 56', 58' x 58', 60' x 60', 62' x 62', 64' x 64', 66' x 66', 68' x 68', 70' x 70', 72' x 72', 74' x 74', 76' x 76', 78' x 78', 80' x 80', 82' x 82', 84' x 84', 86' x 86', 88' x 88', 90' x 90', 92' x 92', 94' x 94', 96' x 96', 98' x 98', 100' x 100', 102' x 102', 104' x 104', 106' x 106', 108' x 108', 110' x 110', 112' x 112', 114' x 114', 116' x 116', 118' x 118', 120' x 120', 122' x 122', 124' x 124', 126' x 126', 128' x 128', 130' x 130', 132' x 132', 134' x 134', 136' x 136', 138' x 138', 140' x 140', 142' x 142', 144' x 144', 146' x 146', 148' x 148', 150' x 150', 152' x 152', 154' x 154', 156' x 156', 158' x 158', 160' x 160', 162' x 162', 164' x 164', 166' x 166', 168' x 168', 170' x 170', 172' x 172', 174' x 174', 176' x 176', 178' x 178', 180' x 180', 182' x 182', 184' x 184', 186' x 186', 188' x 188', 190' x 190', 192' x 192', 194' x 194', 196' x 196', 198' x 198', 200' x 200', 202' x 202', 204' x 204', 206' x 206', 208' x 208', 210' x 210', 212' x 212', 214' x 214', 216' x 216', 218' x 218', 220' x 220', 222' x 222', 224' x 224', 226' x 226', 228' x 228', 230' x 230', 232' x 232', 234' x 234', 236' x 236', 238' x 238', 240' x 240', 242' x 242', 244' x 244', 246' x 246', 248' x 248', 250' x 250', 252' x 252', 254' x 254', 256' x 256', 258' x 258', 260' x 260', 262' x 262', 264' x 264', 266' x 266', 268' x 268', 270' x 270', 272' x 272', 274' x 274', 276' x 276', 278' x 278', 280' x 280', 282' x 282', 284' x 284', 286' x 286', 288' x 288', 290' x 290', 292' x 292', 294' x 294', 296' x 296', 298' x 298', 300' x 300', 302' x 302', 304' x 304', 306' x 306', 308' x 308', 310' x 310', 312' x 312', 314' x 314', 316' x 316', 318' x 318', 320' x 320', 322' x 322', 324' x 324', 326' x 326', 328' x 328', 330' x 330', 332' x 332', 334' x 334', 336' x 336', 338' x 338', 340' x 340', 342' x 342', 344' x 344', 346' x 346', 348' x 348', 350' x 350', 352' x 352', 354' x 354', 356' x 356', 358' x 358', 360' x 360', 362' x 362', 364' x 364', 366' x 366', 368' x 368', 370' x 370', 372' x 372', 374' x 374', 376' x 376', 378' x 378', 380' x 380', 382' x 382', 384' x 384', 386' x 386', 388' x 388', 390' x 390', 392' x 392', 394' x 394', 396' x 396', 398' x 398', 400' x 400', 402' x 402', 404' x 404', 406' x 406', 408' x 408', 410' x 410', 412' x 412', 414' x 414', 416' x 416', 418' x 418', 420' x 420', 422' x 422', 424' x 424', 426' x 426', 428' x 428', 430' x 430', 432' x 432', 434' x 434', 436' x 436', 438' x 438', 440' x 440', 442' x 442', 444' x 444', 446' x 446', 448' x 448', 450' x 450', 452' x 452', 454' x 454', 456' x 456', 458' x 458', 460' x 460', 462' x 462', 464' x 464', 466' x 466', 468' x 468', 470' x 470', 472' x 472', 474' x 474', 476' x 476', 478' x 478', 480' x 480', 482' x 482', 484' x 484', 486' x 486', 488' x 488', 490' x 490', 492' x 492', 494' x 494', 496' x 496', 498' x 498', 500' x 500', 502' x 502', 504' x 504', 506' x 506', 508' x 508', 510' x 510', 512' x 512', 514' x 514', 516' x 516', 518' x 518', 520' x 520', 522' x 522', 524' x 524', 526' x 526', 528' x 528', 530' x 530', 532' x 532', 534' x 534', 536' x 536', 538' x 538', 540' x 540', 542' x 542', 544' x 544', 546' x 546', 548' x 548', 550' x 550', 552' x 552', 554' x 554', 556' x 556', 558' x 558', 560' x 560', 562' x 562', 564' x 564', 566' x 566', 568' x 568', 570' x 570', 572' x 572', 574' x 574', 576' x 576', 578' x 578', 580' x 580', 582' x 582', 584' x 584', 586' x 586', 588' x 588', 590' x 590', 592' x 592', 594' x 594', 596' x 596', 598' x 598', 600' x 600', 602' x 602', 604' x 604', 606' x 606', 608' x 608', 610' x 610', 612' x 612', 614' x 614', 616' x 616', 618' x 618', 620' x 620', 622' x 622', 624' x 624', 626' x 626', 628' x 628', 630' x 630', 632' x 632', 634' x 634', 636' x 636', 638' x 638', 640' x 640', 642' x 642', 644' x 644', 646' x 646', 648' x 648', 650' x 650', 652' x 652', 654' x 654', 656' x 656', 658' x 658', 660' x 660', 662' x 6

Architectural floor plan of the first floor of a building. The plan shows a large central hall with a staircase, several rooms, and a parking area. Dimensions are provided for various sections. A note at the bottom right reads: "DO NOT WRITE, TAPES AND PLOTTING SLAB TO BE BUILT".

[illegible]

ROOF COLOUR	PREPARED CHIMNEYS CHIMNEA
GUTTER	CHIMNEA
FACADA	CHIMNEA
DOWNPOUT	CHIMNEA
DOWNPOUT COLOUR	CHIMNEA SPECIFICATION
WALL COLOUR	AS PER OWNERS SPECIFICATION
CER. FLR TILES	AS PER OWNERS SPECIFICATION
CERET FLOOR	AS PER OWNERS SPECIFICATION
WALL TILES	AS PER OWNERS SPECIFICATION
PAVING	AS PER OWNERS SPECIFICATION
PAINT/STAINWARE	AS PER OWNERS SPECIFICATION
B/C	AS PER OWNERS SPECIFICATION
CLIMATE & SHUTTINGS	AS PER OWNERS SPECIFICATION
LIGHTS & FITTINGS	AS PER OWNERS SPECIFICATION

Area Calculated (m ²)	%
Ground Floor Area:	2652.0 m ²
Proposed Building	2652.0 m ²
Proposed Covered Slab	2652.0 m ²
Total	2652.0 m ²
First Floor Area:	223.0 m ²
Proposed Building	223.0 m ²
Proposed Black Slab	32.0 m ²
Proposed Front Balcony	18.0 m ²
Total	265.0 m ²
Total Covered Floor Area	2917.0 m ²
Plot Size	10 787.0 m ²
Building Covered Area	1460.0 m ²
Ground Floor Area	1500.0 m ²
Total Covered Area	1460.0 m ²
Net Coverage	14.0 %

[illegible]

NORTH WEST ELEVATION

ALL WORK TO COMPLY WITH MUNICIPAL REGULATIONS
TWOURED DUE DILIGENCE TO BE TAKEN IN PREPARATION TO
LOCAL AND NATIONAL
ALL RELEVANT DETAILS, LEVELS, DIMENSIONS TO BE CHECKED
ON SITE BEFORE COMMENCEMENT OF WORK
ANY DISCREPANCIES ON DRAWING TO BE POINTED OUT TO
ARCHITECT IMMEDIATELY

FOR 60 mm WALLS: 800 x 250 mm CONC. STRIP FOUNDATION FOR 150 mm WALLS: 700 x 250 mm CONC. STRIP FOUNDATION FOR 230 mm WALLS: 700 x 250 mm CONC. STRIP FOUNDATION. ALL FOUNDATIONS AS PER ENGINEER'S DETAILS.

WALL CONSTRUCTION

INTERVAL WALLS TO BE 80 mm PLASTERED AND PAINTED BRICK WALLS. ON 250 mm W/RE BRICK ON PLAIN EXTERNAL WALLS TO BE 250 mm PLASTERED AND PAINTED BRICK WALLS WITH 60 mm CANTILEVER.

CONCRETE BRICKS TO BE MINIMUM 14 mpa.

FLOOR FINISH AS SHOWN ON PLAN ON 20 mm CEMENT BED ON 100 mm CONCRETE SUBGRADE BED ON 150 mm CEMENT BED ON 100 mm SAND BED ON WELL COMPACTED AND APPROVED FIRST FLOOR CONSTRUCTION FLOOR FINISH AS SHOWN ON PLAN ON 20 mm CEMENT BED ON 100 mm SAND BED ON WELL COMPACTED AND APPROVED FIRST FLOOR CONSTRUCTION

SPECIALISTS AND TO ENJOY DETAILS AND SPECIFICATIONS
WINDOWS AND DOORS
ALL WINDOWS TO BE ALUMINUM FINISHED WITH CHROME-
EPOXY COATING.
ALL EXTERIOR DOORS TO BE ALUMINUM PANELS WITH C-
EPOXY COATING.
ALL INTERIOR DOORS TO BE SOLID PINE/DARK STAIN DOOR
6'-0" HIGH TO BE 2'10" x 8'0" MIN CORNERS/JUT OUT
DOOR AT CORNER. ALL-80 REFER TO DOOR AND WINDOW
WINDOW SILLS
INTERIALLY : PLASTERED BRICK SLAB - FLAT
EXTERIALLY : PLASTERED BRICK SLAB - 30 GOREE

MAIN PITCHED ROOF CONSTRUCTION
MAIN PITCHED ROOF CONSTRUCTION FOR A 20'x20'x10' ROOF SHEETING AT 1" ON 12" ON RELATION ON 12" IS SHOWN. S.A.P. PLYS AT INTERVALS 1500mm CENTRES ON 14", 50mm S.A.P. TRILL AT INTERVALS 1500mm CENTRES ON 14", 50mm S.A.P. WAVE PLATE ROOF STRUCTURE TO BE WITH DOWN MASTER 500 WITH WAVE ARCHES.

PATIO ROOF CONSTRUCTION
6.0mm PITCHED CONCRETE/PAVED ROOF S.P. 20'x20'x10' ROOF SHEETING AT 1" ON 12" IS SHOWN. S.A.P. PLYS AT INTERVALS 500mm CENTRES ON 14", 50mm S.A.P. PLYS AT INTERVALS 1000mm CENTRES ON 22" IS SHOWN. S.A.P. WAVE PLATE ROOF STRUCTURE TO BE WITH DOWN MASTER 500 WITH WAVE ARCHES.

CEILING CONSTRUCTION

FIRST FLOOR CEILING

SHOULD BE 4 IN. PLYWOOD BOARD CEILING PAID TO US
CERTIFIED INSTEAD OF ROOF CONSTRUCTION
AS DESCRIBED ABOVE AND FINISHED WITH 1 IN. COVER
OPTICAL COATING.

SECOND FLOOR CEILING

UNDERBUILT OF CONIC. B.L.A. AS DESCRIBED LATER FIRST
FLOOR CONSTRUCTION, TO BE FINISHED AND FINISHED
WITH 1 IN. COVER OPTICAL COATING.

BATHS AND BATHWATER GOODS

SHOULD BE 4 IN. PLYWOOD BOARD CEILING PAID TO US
CERTIFIED INSTEAD OF ROOF CONSTRUCTION
AS DESCRIBED ABOVE AND FINISHED WITH 1 IN. COVER
OPTICAL COATING.

OTHER

ALL OTHERS SHOULD BE 4 IN. PLYWOOD BOARD
CEILING PAID TO US CERTIFIED INSTEAD OF ROOF
CONSTRUCTION, TO BE FINISHED AND FINISHED
WITH 1 IN. COVER OPTICAL COATING.

ROOFING AND OTHERS

SHOULD BE 4 IN. PLYWOOD BOARD CEILING PAID TO US
CERTIFIED INSTEAD OF ROOF CONSTRUCTION
AS DESCRIBED ABOVE AND FINISHED WITH 1 IN. COVER
OPTICAL COATING.

UNRAVING:
WASTEWATERS TO BE 38 mm Ø PVC
SOIL PIPES TO BE 100 mm Ø PVC.
VENTPIPES TO BE 50 mm Ø PVC.
IE, TO ALL BENDS AND JUNCTIONS.

WEDGEVIEW

country house &

project

Proposed new service area and additional dwellings to existing guest house on farm 266 portion 11, Stellenbosch, for Wedgeville country house & spa

Project no.		Drawing
RCAD no.		
Drawing no.	071	PLANS, ELEVATIONS
Date	Jan 23/18	
Scale	1" = 10'	
Revision:		
Drawn:	HC	

Contact nos. : 0184 951 0222
 Fax no. : 021 904 2577
 e-mail : 0186 951 0222
 Backup Registered : robertcup@idc
 : P@rAcht7

PRELIMINARY

[illegible][illegible][illegible][illegible][illegible][illegible][illegible]

FLOOR CONSTRUCTION
FLOOR FINISH IS SHOWN ON PLY (1) ON 2" CMU'S. CONCRETE ON 10" WOOD JOIST. CONCRETE SURFACE IS 4" OR 5" DEEP. DO NOT REMOVE CONCRETE SURFACE OR EXPOSE JOIST. DO NOT REMOVE JOIST OR EXPOSE STUDS. FLOOR FINISH IS SHOWN ON PLY (1) ON 2" CMU'S. CONCRETE ON 10" WOOD JOIST. CONCRETE SURFACE IS 4" OR 5" DEEP. DO NOT REMOVE CONCRETE SURFACE OR EXPOSE JOIST. DO NOT REMOVE JOIST OR EXPOSE STUDS. FLOOR FINISH IS SHOWN ON PLY (1) ON 2" CMU'S. CONCRETE ON 10" WOOD JOIST. CONCRETE SURFACE IS 4" OR 5" DEEP. DO NOT REMOVE CONCRETE SURFACE OR EXPOSE JOIST. DO NOT REMOVE JOIST OR EXPOSE STUDS.

[illegible]

FIRST FLOOR CEILING
Scaffolding and a 10' PLASTER BOARD CEILING PYSO TO USE
A 3' x 24" 1/2" LATH BRACKETED TO THE 40' 400' MM
CONCRETE SLAB. THE BRACKET WAS BRACKETED TO THE
AS DISCLOSED ABOVE AND FASTENED WITH TWO CONED
OVALS PLATE CEILING

SECOND FLOOR CEILING
UNDERSTUD OF CONCRETE SLAB AS DISCLOSED HEREIN MUST
BE REMOVED TO EXPOSE THE 40' 400' MM CONCRETE SLAB
WITH THE CONED OVALS PLATE CEILING

DOORS AND RAINWATER SPOCKS
ELECTRIC DOOR SEALS ARE ALLOWABLE BUTTERS. DOORS TO
BE IN TWO PLYS WHERE SHOWN. DOORWAY WHITE
OTHER THAN WHITE. OTHER THAN BLACK. DOORWAY WHITE
OTHER

3. VERTICAL PRESS AIRFLOW PER HOUR
VERTICAL PRESSURE PER HOUR. LIMITED TO ONE ALL VERTICAL

WEDGEVIEW

country house & project

Project to	Dwelling:
RCAD09/11	
drawing no	
102	
DATE	
Jan 2013	
Revised:	

1: 100	
drawn:	RC

RCAD

Robert Cupido Architectural D

Contract nos.

: 894 585 6222
021 904 2572

PRELIMINARY



STELLENBOSCH
STELLENBOSCH • PNIEL • FRANSCHHOEK

MUNICIPALITY • UMASIPALA • MUNISIPALITEIT

ANNEXURE B



STELLENBOSCH MUNICIPALITY
STELLENBOSCH · PNIEL · FRANSCHHOEK

MEMORANDUM

DIREKTORAAT: INFRASTRUKTUURDIENSTE
DIRECTORATE: INFRASTRUCTURE SERVICES

CIVIL ENGINEERING SERVICES

FILE NR:	OUTGOING POST
SCAN NR:	F 266/115
COLLABORATOR NR:	

To ▫ Aan: Director: Planning + Economic Development

Att Aandag: Nicole Katts

From ▫ Van: Principal Technician: Development (Infrastructure Services)

Author ▫ Skrywer: Ilze Fillies

Date ▫ Datum: 16 July 2024

Our Ref ▫ Ons Verw: Civil LU 2690


Town Planning Ref: LU/16630 - TP589/2023

Re ▫ Insake: Farm 266/11, Stellenbosch: Application is made in terms of Section 15(2)(o) of the Stellenbosch Municipal Land Use Planning By-law, 2023 for a Consent Use to utilize an existing building (which consist of five bedrooms) as an extension to the existing approved guest house to allow for a tourist accommodation establishment with a total of 18 bedrooms on Farm No. 266/11, Stellenbosch Division. Application is made in terms of Section 15(2)(b) of the Stellenbosch Land Use Planning By-law, 2023 for a departure to relax the 5,0m common building line (adjacent to Farm No. 266/10, Stb) to 0,3m and 0,9m to accommodate the existing building on Farm No. 266/11, Stb.

The application is recommended for approval, subject to the following conditions:

1. Water

- 1.1 The development must use the existing municipal water connection point.



2. Sewer

- 2.1 The development must connect to existing conservancy tanks.

3. Roads

- 3.1 Access is from a provincial road – all conditions by the Provincial Roads Engineer will be applicable.

4. Development Charges (DCs)

- 4.1 The following DC's are payable: See **Development Charge Calculation** attached. Please note that this calculation is indicative at this stage.
- 4.2 The DC's were calculated by using the 2024/2025 tariff structure. If DC's are paid after 30 June 2025 it will have to be recalculated by using the tariff structure and DC Policy principles applicable at date of payment.
- 4.3 The appropriate DC's are payable before the facility is put to its approved use.



Ilze Fillies

Principal Technician: Development (Infrastructure Services)

N:\2.0 DEVELOPMENT\01 Land Use applications\2690 (IF) Farm 266-11 Stellenbosch (LU-16630 TP589-2023)\2690 () Farm 266-11 Stellenbosch (LU-16630 TP589-2023).doc





Stellenbosch Municipality

Development Charge Calculation



APPLICATION INFORMATION	
Application Number:	2000 (BF) Farm 266-11 Stellenbosch (JJ-19830 TP588-3023)
Development Name:	
Date:	19 July 2024
Financial Year:	2024/2025
Erf Location (Select from 7 Locations):	Stellenbosch Town
Erf Region (Select Urban or Rural):	Rural
Erf No. / Farm No.:	Farm 266-11
DC Parameters Reference:	Motivation report Proposed consent use and departure portion 11 Farm 266 Stuvendal Stellenbosch dated 28 Nov 2023 Mr T Velders TV3 Architect

SUMMARY OF DC CALCULATION								
Service	Water	Sewer	Stormwater	Solid Waste	Roads & Transport	Sub Total (Excl Eng Services)	Community	Totals
Unit(s)	Mday	Mday	litre/C	Week	Wp/day		persons	
Total Increased Services Usage	1.1	0.9	0.02	0.075	15		5	
Total Service Usage Reduction	0	0	0	0	7.5		0	
Total Service Usage after Reduction	1.10	0.90	0.02000	0.075	7.5		5	
Charges before adjusting for positive only, before Deductions	R 38 229.80	R -	R 4 354.83	R 7 710.00	R 85 145.51	R 143 430.75	R 20 271.57	R 143 711.31
Charges adjusted for positive only, before Deductions	R 38 229.80	R -	R 4 354.83	R 7 710.00	R 95 145.51	R 143 430.75	R 20 271.57	R 143 711.31
Total Deductions	R -	R -	R -	R -	R 47 572.78	R 47 572.78	R -	R 47 572.78
Total Development Charges Payable (excluding VAT)	R 38 229.80	R -	R 4 354.83	R 7 710.00	R 47 572.78	R 85 858.00	R 20 271.57	R 146 146.98
VAT	R 5 434.44	R -	R 603.18	R 1 158.80	R 7 135.91	R 14 380.86	R 3 040.73	R 17 420.78
Total Development Charges Payable (including VAT)	R 41 964.04	R -	R 5 007.63	R 8 868.80	R 54 708.67	R 100 238.84	R 23 312.30	R 133 969.34

APPLICANT INFORMATION	
Application Processed by:	Eze Fille
Signature:	
Notes:	

Stellenbach Town

Location Category	Unit Type	Existing Design		Proposed New Design		Development Charge Linked Unit 182.1										Total Fee (incl. 182.1)	Community	Total
		Unit	Area (sq ft)	Cost (\$/sq ft)	Area (sq ft)	Cost (\$/sq ft)	Area (sq ft)	Cost (\$/sq ft)	Area (sq ft)	Cost (\$/sq ft)	Area (sq ft)	Cost (\$/sq ft)	Area (sq ft)	Cost (\$/sq ft)	Area (sq ft)			
Residential	Single Residential - 1000sq ft	1000																
	Single Residential - 1000sq ft	1000																
	Single Residential - 1000sq ft	1000																
	Single Residential - 1000sq ft	1000																
	Single Residential - 1000sq ft	1000																
	Single Residential - 1000sq ft	1000																
	Single Residential - 1000sq ft	1000																
	Single Residential - 1000sq ft	1000																
	Single Residential - 1000sq ft	1000																
	Single Residential - 1000sq ft	1000																
Commercial	Commercial - 1000sq ft	1000																
	Commercial - 1000sq ft	1000																
	Commercial - 1000sq ft	1000																
	Commercial - 1000sq ft	1000																
	Commercial - 1000sq ft	1000																
	Commercial - 1000sq ft	1000																
	Commercial - 1000sq ft	1000																
	Commercial - 1000sq ft	1000																
	Commercial - 1000sq ft	1000																
	Commercial - 1000sq ft	1000																
Industrial	Industrial - 1000sq ft	1000																
	Industrial - 1000sq ft	1000																
	Industrial - 1000sq ft	1000																
	Industrial - 1000sq ft	1000																
	Industrial - 1000sq ft	1000																
	Industrial - 1000sq ft	1000																
	Industrial - 1000sq ft	1000																
	Industrial - 1000sq ft	1000																
	Industrial - 1000sq ft	1000																
	Industrial - 1000sq ft	1000																

Charges before adjusting for position only, before Deductions	\$	30,228.00	\$	0	\$	5,954.00	\$	1,712.00	\$	30,744.00	\$	3,451,455.00	\$	20,271.57	\$	100,794.57
Charges adjusted for position only, before Deductions	\$	30,228.00	\$	0	\$	5,954.00	\$	1,712.00	\$	30,744.00	\$	3,451,455.00	\$	20,271.57	\$	100,794.57
Deductions per service of unit usage rate/fee	\$		\$		\$		\$		\$		\$	47,675.00	\$		\$	47,675.00
Optional Deduction (%)	\$		\$		\$		\$		\$		\$		\$		\$	
Additional Deduction per service - from Service Agreement (para)	\$		\$		\$		\$		\$		\$		\$		\$	
Total after Adjustments and Deductions including VAT	\$	30,228.00	\$	0	\$	5,954.00	\$	1,712.00	\$	30,744.00	\$	3,451,455.00	\$	20,271.57	\$	100,794.57
VAT	\$	1,454.44	\$	0	\$	283.19	\$	1,156.00	\$	1,543.64	\$	168,988.00	\$	1,040.75	\$	17,409.00
Total Development Charges	\$	31,682.44	\$	0	\$	6,237.19	\$	2,868.00	\$	32,287.64	\$	3,620,443.00	\$	21,312.32	\$	118,203.57

FARM 266-11 (LU/16630)

. No Comment

1.

CONDITIONS:

Solar panel plant farm to comply to Electrical regulation Act of 2006 (NERSA)

2. All electrical work to comply to SANS 142, SANS 104 XA, SANS 1307, SANS 10106, SANS 10252-1 and SANS 10254, and Municipal By-Laws

3If connecting a generator for backup, the generator needs to comply to OHS Act SANS10142-1
4Appropriate caution shall be taken during construction, to prevent damage to existing electrical equipment in the vicinity. Should damage occur, the applicant will be liable for the cost involved repairing damages?

ERF 

Date 16/04/2024